AD-A044 123   AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9
   ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT, AVIONIC COMMU--ETC(U)
                JUN 77
UNCLASSIFIED   AFPT-90-328-222   NL

1 OF 2
AD
A044123

~~END~~ CONT.
DATE
FILMED
10—77
DDC

OCCUPATIONAL SURVEY REPORT

Rept. for Dec 76 - Mar 77.

ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT,
AVIONIC COMMUNICATIONS
CAREER LADDER,

AFSC 328X0.

AFPT-90-328-222
15 JUNE 1977   56p.

OCCUPATIONAL SURVEY BRANCH
USAF OCCUPATIONAL MEASUREMENT CENTER
LACKLAND AFB TEXAS 78236

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

408 889

TABLE OF CONTENTS

PREFACE

This report presents a summary of the results of a detailed Air Force Electronic Principles Survey of the Avionic Communications Specialty, AFSC 328X0.

The Electronic Principles Inventory (EPI) was developed by Major Thomas J. O'Connor and Mr. Hendrick W. Ruck and the survey data were analyzed by Captain Leon J. Tauscher. All are members of the Occupational Survey Branch, USAF Occupational Measurement Center, Lackland AFB, Texas.

Computer programs for analyzing the data were designed by Dr. Raymond E. Christal, Occupational and Manpower Research Division, Air Force Human Resources Laboratory (AFHRL), and were written by the Project Analysis and Programming Branch, Computational Sciences Division, AFHRL.

Distribution of this report is made upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Survey Branch (OMY), Lackland AFB, Texas 78236.

This report has been reviewed and is approved.

JAMES A. TURNER, JR., Colonel, USAF
Commander
USAF Occupational Measurement Center

WALTER E. DRISKILL, Ph.D.
Chief, Occupational Survey Branch
USAF Occupational Measurement Center

ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT
AVIONIC COMMUNICATIONS CAREER LADDER
AFSC 328X0

INTRODUCTION

This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned to Avionic Communications Specialty (AFSC 328X0). The data for this report were collected during the period December 1976 through March 1977.

This report describes: (1) development and administration of the survey instrument; and (2) electronic principles used by DAFSC 5-skill level personnel both CONUS and overseas and assigned to selected major commands.

DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI)

The EPI was developed by personnel from the Occupational Survey Branch who were well qualified in theoretical physics and electronics, as well as in task analysis and survey development. Over 300 maintenance personnel from SAC, TAC, ADC, MAC, and AFCS participated in the development of the inventory. Representing the five ATC training centers, electronics experts who averaged 12 years of maintenance experience and four years of electronic principles instruction experience spent several weeks refining the EPI. In addition, personnel at the Electrical Engineering Department of the USAF Academy and the Air Force Human Resources Laboratory were consulted during the development of the inventory.

The final version of the EPI used in this survey contained 1,257 items in 62 subject matter areas covering all electronic principles training given at the five ATC technical training centers. Table 1 lists the 62 subject areas.

ADMINISTRATION

The Electronic Principles Inventory was administered by mail to AFSC 328X0 airmen worldwide. Responses from 1001 5-skill level individuals represented 67 percent of the total of all DAFSC 32850 personnel. Table 2 shows the percentage distribution by major command of the survey incumbents.

TABLE 1

EPI SUBJECT AREAS

SEQUENCE OF SUBJECT AREAS	SUBJECT AREA TITLE	BEGINNING ITEM NUMBER	GPSUM PAGE NUMBER
1	MATHEMATICS	A1	2
2	DIRECT CURRENT AND VOLTAGE	A15	2
3	RESISTANCE	A24	2
4	MULTIMETER USES	B52	3
5	ALTERNATING CURRENT	B61	4
6	INDUCTORS AND INDUCTIVE REACTANCE	B67	4
7	CAPACITORS AND CAPACITIVE REACTANCE	C92	5
8	TRANSFORMERS	C128	6
9	MAGNETISM	C171	7
10	RCL CIRCUITS	D185	8
11	SERIES AND PARALLEL RESONANCE (TIME CONSTANTS)	D229	9
12	FILTERS	D239	10
13	COUPLING	E261	11
14	SOLDERING	E273	12
15	RELAYS	E294	12
16	MICROPHONES	F314	13
17	SPEAKERS	F327	13
18	OSCILLOSCOPES	F342	13
19	SEMICONDUCTOR DIODES	G354	14
20	TRANSISTORS	G404	16
21	TRANSISTOR AMPLIFIERS	G428	17
22	SOLID-STATE SPECIAL PURPOSE DEVICES	H477	19
23	POWER SUPPLIES	H483	19
24	OSCILLATORS	H512	20
25	MULTIVIBRATORS	I539	21
26	LIMITERS AND CLAMPERS	I555	21
27	ELECTRON TUBES	I565	21
28	ELECTRON TUBE AMPLIFIERS AND CIRCUITS	J609	23
29	SPECIAL PURPOSE ELECTRON TUBES	J616	23
30	HETERODYNING, MODULATION, AND DEMODULATION	J632	24
31	AM SYSTEMS	K638	24
32	FM SYSTEMS	K666	25

TABLE 1 (CONTINUED)

EPI SUBJECT AREAS

SEQUENCE OF SUBJECT AREAS	SUBJECT AREA TITLE	BEGINNING ITEM NUMBER	GPSUM PAGE NUMBER
33	NUMBERING SYSTEMS	K685	25
34	LOGIC FUNCTIONS	L695	26
35	BOOLEAN EQUATIONS	L708	26
36	COUNTERS	L733	27
37	TIMING CIRCUITS	M757	28
38	USE OF SIGNAL GENERATORS	M769	28
39	MOTORS AND GENERATORS	M779	29
40	METER MOVEMENTS	N808	29
41	SATURABLE REACTORS AND MAGNETIC AMPLIFIERS	N818	30
42	WAVESHAPING CIRCUITS	N834	30
43	SINGLE SIDEBAND SYSTEMS	O845	31
44	PULSE MODULATION SYSTEMS	O875	32
45	ANTENNAS	O914	33
46	TRANSMISSION LINES	P953	34
47	WAVEGUIDES AND CAVITY RESONATORS	P984	36
48	MICROWAVE AMPLIFIERS AND OSCILLATORS	P1034	37
49	REGISTERS	Q1110	40
50	STORAGE DEVICES	Q1117	40
51	DIGITAL TO ANALOG CONVERTERS	Q1126	40
52	PHANTASTRONS	Q1140	41
53	SCHMITT TRIGGERS	R1141	41
54	CABLE FABRICATION	R1144	41
55	INPUT/OUTPUT DEVICES	S1146	41
56	PHOTO SENSITIVE DEVICES	S1149	41
57	SYNCHRONOUS VIBRATIONS (CHOPPER CIRCUITS)	S1150	41
58	INFRARED	T1159	42
59	LASERS	T1186	42
60	DISPLAY TUBES	T1220	43
61	PROGRAMMING	U1234	44
62	DB AND POWER RATIOS	U1255	44

TABLE 2

COMMAND REPRESENTATION OF SURVEY SAMPLE

	DAFSC 32850	
COMMAND	PERCENT ASSIGNED	PERCENT OF SAMPLE
TAC	22	22
MAC	21	22
SAC	19	26
ATC	6	6
USAFE	9	7
ADC	6	7
OTHER	17	10
TOTAL	100	100

Total 5-skill level Assigned - 1497
Total 5-skill level Sampled   - 1001
Percent 5-skill level Sampled - 67%

PRESENTATON OF RESULTS

Personnel responded "yes" or "no" to the 1,257 electronic principles questions as related to their present job. A Group Summary (GPSUM) computer printout is provided in the Appendix portion of this report. Page 1 of the GPSUM lists the seven selected groups identified for this report. Pages 2-44 show the percentage of the incumbents responding to the EPI items. The computer program results display the percent members answering "yes" to the subject area questions. The reader can locate a specific subject area by referring to the Appendix page number as listed in Table 1. For example, the Transformers area results are given on page 6 of the GPSUM. Overall, survey incumbents indicated "high job use" of electronic principles in thirteen subject areas: Resistance (pp. 2-3), Multimeter Uses (p. 3), Alternating Current (p. 4), Capacitors and Capacitive Reactance (pp. 5-6), Filters (pp. 10-11), Coupling (p. 11), Soldering (pp. 11-12), Relays (p. 12), Microphones (p. 12), Oscilloscopes (p. 13), Power Supplies (p. 19), AM Systems (pp. 23-24), and Cable Fabrication (p. 41). "Low job use" of electronic principles was also noted in several areas. For example, principles associated with Pulse Modulation Systems (pp. 31-32), Waveguides and Cavity Resonators (pp. 35-36), Microwave Amplifiers and Oscillators (pp. 37-38), Storage Devices (p. 40), Digital to Analog Converters (p. 40), Phantastrons (p. 41), Infrared (pp. 41-42), Lasers (pp. 42-43), Display Tubes (p. 43), and Programming (pp. 43-44) were used by very few job incumbents. Additional AFSC 328X0 data can be obtained upon request to the Chief, Occupational Survey Branch (OMY).

APPENDIX

8

TABLE OF CONTENTS

TOC   PAGE   1   AF HUMAN RESOURCES LABORATORY
                        AIR FORCE SYSTEMS COMMAND

TABULATION OF PERCENT MEMBERS PERFORMING TASKS BY SELECTED DAFSC AND MAJCOM
GROUPS IN THE 328X0 CAREER FIELD.

REPORTS ON THE FOLLOWING GROUPS WERE REQUESTED

GROUP IDENTITY = SPC001 ALL AIRMEN WITH DAFSC 32850 CONTAINING 1001 MEMBERS.
GROUP IDENTITY = SPC002 ALL DAFSC 32850 IN ADC CONTAINING   70 MEMBERS.
GROUP IDENTITY = SPC003 ALL DAFSC 32850 IN ATC CONTAINING   56 MEMBERS.
GROUP IDENTITY = SPC004 ALL DAFSC 32850 IN MAC CONTAINING 217 MEMBERS.
GROUP IDENTITY = SPC005 ALL DAFSC 32850 IN SAC CONTAINING 263 MEMBERS.
GROUP IDENTITY = SPC006 ALL DAFSC 32850 IN TAC CONTAINING 221 MEMBERS.
GROUP IDENTITY = SPC007 ALL DAFSC 32850 IN USAFE CONTAINING   70 MEMBERS.

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

Dy-TSK

#	Task	Task Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
1	A1-01	IN YOUR PRESENT JOB, DO YOU USE INSTRUMENTS, SUCH AS METERS OR OSCILLOSCOPES, IN WHICH IT IS NECESSARY TO	79	81	73	82	81	77	89
2	A1-02	DO YOU USE PUBLICATIONS, SUCH AS A TECHNICAL ORDERS OR MAINTENANCE MANUALS, IN WHICH IT IS NECESSARY FOR YOU	41	34	48	45	40	41	34

MATHEMATICS

#	Task	Task Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
3	A1-03	DO YOU REARRANGE AND SOLVE FORMULAS OR EQUATIONS.	38	34	46	36	41	32	44
4	A1-04	DO YOU CALCULATE THE SQUARE ROOT OF A QUANTITY.	12	6	14	15	12	11	17
5	A1-05	DO YOU SOLVE FOR UNKNOWN QUANTITIES.	30	20	38	31	33	26	34
6	A1-06	DO YOU CONVERT NUMBERS TO LOGARITHMS.	6	1	20	2	5	5	11
7	A1-07	DO YOU USE LOGARITHM TABLES IN ANY TYPE OF CALCULATIONS.	6	4	18	2	8	4	14
8	A1-08	DO YOU SOLVE QUADRATIC EQUATIONS.	7	4	14	6	7	5	9
9	A1-09	DO YOU USE THE NATURAL SYSTEM OF LOGARITHMS.	4	1	13	1	3	3	6
10	A1-10	DO YOU PERFORM CALCULATIONS ON VECTOR QUANTITIES.	8	4	20	7	10	5	9
11	A1-11	DO YOU WORK WITH TRIGONOMETRIC FUNCTIONS SUCH AS SINE, COSINE, OR TANGENT.	8	4	18	7	9	5	11
12	A1-12	DO YOU DETERMINE AREAS OF PLANE FIGURES.	4	3	5	3	4	4	4
13	A1-13	DO YOU SOLVE OR USE SIMULTANEOUS EQUATIONS.	8	3	14	9	6	7	4
14	A1-14	DO YOU SOLVE OR USE PROPORTIONS.	27	30	30	26	28	22	13

DIRECT CURRENT AND VOLTAGE

#	Task	Task Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
15	A2-01	DO YOU USE THE TERM VOLTAGE OR VOLT (V).	97	99	96	98	98	96	40
16	A2-02	DO YOU USE THE TERM ELECTROMOTIVE FORCE (EMF).	36	29	45	39	35	32	39
17	A2-03	DO YOU USE THE TERM OHM.	96	99	95	95	97	94	99
18	A2-04	DO YOU USE THE TERM ION.	13	6	23	12	13	13	13
19	A2-05	DO YOU USE THE TERM DYNE.	6	0	13	6	8	5	7
20	A2-06	DO YOU USE THE TERM AMPERE.	90	89	95	91	89	88	91
21	A2-07	DO YOU USE THE TERM NEUTRON.	12	4	18	14	11	14	11
22	A2-08	DO YOU USE THE TERM COULOMB.	14	16	18	14	11	14	19
23	A2-09	DO YOU USE THE TERM PROTON.	13	6	16	14	15	15	11

RESISTANCE

#	Task	Task Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
24	A3-01	DO YOU WORK WITH RESISTORS IN YOUR PRESENT JOB.	87	94	88	86	86	86	93
25	A3-02	DO YOU INSPECT RESISTORS.	94	84	88	92	97	93	99
26	A3-03	DO YOU CLEAN RESISTORS.	82	84	63	82	89	77	83
27	A3-04	DO YOU ADJUST RESISTORS.	91	96	82	87	96	88	99
28	A3-05	DO YOU CHECK OHMIC VALUE OR RESISTORS.	94	99	91	93	97	91	99
29	A3-06	DO YOU REMOVE OR REPLACE RESISTORS.	94	99	84	92	96	92	99
30	A3-07	DO YOU USE OR REFER TO TEMPERATURE COEFFICIENTS FOR RESISTORS ON ANY TASKS YOU PERFORM.	25	26	21	25	21	28	40
31	A3-08	DO YOU USE OR REFER TO RESISTOR SYMBOLS SUCH AS FIXED RESISTOR SYMBOLS OR TAPPED RESISTOR SYMBOLS.	93	97	89	90	95	90	99
32	A3-09	DO YOU IDENTIFY OR CLASSIFY THE RESISTORS YOU WORK WITH AS CARBON, FIXED WIRE, SLIDE TAP, RHEOSTAT, OR	90	90	86	86	93	88	96
33	A3-10	DO YOU USE RESISTOR COLOR CODES WHICH INDICATE OHMIC VALUE OF RESISTANCE.	93	99	88	88	96	92	97

PcT MbRS PERF TASKS- DAFSC/MAJCOM GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 4

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

				SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
A	34	A3-11	DO YOU USE RESISTOR COLOR CODES WHICH INDICATE TOLERANCE.	83	91	75	75	86	82	89
A	35	A3-12	DO YOU USE RESISTOR COLOR CODES WHICH INDICATE FAILURE RATE.	28	17	14	28	30	32	31
A	36	A3-13	DO YOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE HOW TWO OR MORE BATTERIES MUST BE CONNECTED TOGETHER TO	36	21	23	43	38	32	40
A	37	A3-14	DO YOU USE OR REFER TO THE SCHEMATIC SYMBOLS WHICH REPRESENT BATTERIES, FUSES, CONDUCTORS, LAMPS, OR SWITCHES	93	96	88	91	96	91	99
A	38	A3-15	DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES RESISTIVE CIRCUITS.	52	51	55	51	58	52	51
A	39	A3-16	DO YOU CALCULATE TOTAL CURRENT FOR SERIES RESISTIVE CIRCUITS.	44	41	48	46	47	41	43
A	40	A3-17	DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES RESISTIVE CIRCUITS.	48	44	50	49	54	45	44
A	41	A3-18	DO YOU CALCULATE POWER DISSIPATION FOR SERIES RESISTIVE CIRCUITS.	36	34	38	33	40	37	37
A	42	A3-19	DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES PARALLEL RESISTIVE CIRCUITS.	48	51	52	46	54	48	49
A	43	A3-20	DO YOU CALCULATE TOTAL CURRENT FOR SERIES PARALLEL RESISTIVE CIRCUITS.	42	41	50	43	46	39	40
A	44	A3-21	DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES PARALLEL RESISTIVE CIRCUITS.	45	43	50	46	52	42	40
A	45	A3-22	DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR SERIES PARALLEL RESISTIVE CIRCUITS.	37	37	46	39	40	35	33
A	46	A3-23	DO YOU CALCULATE POWER DISSIPATION FOR SERIES PARALLEL RESISTIVE CIRCUITS.	34	31	38	32	38	33	34
A	47	A3-24	DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL RESISTIVE CIRCUITS.	48	49	54	47	54	45	49
A	48	A3-25	DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RESISTIVE CIRCUITS.	42	41	48	43	45	38	40
A	49	A3-26	DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR PARALLEL RESISTIVE CIRCUITS.	44	40	50	47	49	40	40
A	50	A3-27	DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR PARALLEL RESISTIVE CIRCUITS.	37	34	46	40	40	33	33
A	51	A3-28	DO YOU CALCULATE POWER DISSIPATION FOR PARALLEL RESISTIVE CIRCUITS.	33	31	38	33	37	31	31
B	52	B1-01	DO YOU MEASURE RESISTANCE.	98	100	95	98	99	96	100
B	53	B1-02	DO YOU REPAIR OHMMETERS.	10	11	9	8	13	8	11
B	54	B1-03	DO YOU MEASURE VOLTAGE.	98	100	95	98	99	97	100
B	55	B1-04	DO YOU REPAIR VOLTMETERS.	9	11	9	6	14	7	10
B	56	B1-05	DO YOU REPAIR AMMETERS.	7	9	5	6	10	6	6
B	57	B1-06	DO YOU MEASURE CURRENT.	81	77	80	82	79	83	89
B	58	B1-07	DO YOU USE MULTIMETERS.	97	100	95	98	98	96	100
B	59	B1-08	DO YOU DIRECTLY USE A QUANTITY OF CHARGE CALLED A COULOMB.	6	3	5	4	6	10	9
B	60	B1-09	DO YOU READ SCHEMATICS.	97	99	96	96	99	96	99

MULTIMETER USES

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		DY-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
8	61	82-01 DO YOU USE OR REFER TO THE TERM EFFECTIVE VOLTAGE (RMS).	85	87	82	84	90	81	91
8	62	82-02 DO YOU USE OR REFER TO THE TERM PEAK TO PEAK VOLTAGE.	81	87	82	81	89	87	84
8	63	82-03 DO YOU USE OR REFER TO THE TERM AVERAGE VOLTAGE (DC).	80	84	71	84	84	74	86
8	64	82-04 DO YOU USE OR REFER TO THE TERM WAVE LENGTH.	58	54	63	60	62	52	63
8	65	82-05 DO YOU USE OR REFER TO THE TERM FREQUENCY.	93	97	86	94	94	92	94
8	66	82-06 DO YOU USE OR REFER TO THE TERM INSTANTANEOUS VALUE.	25	21	29	27	28	24	27
8	67	83-01 DO YOU WORK WITH INDUCTORS OR CIRCUITS CONTAINING INDUCTORS, CHOKES, OR CHOKE COILS IN YOUR PRESENT JOB.	84	87	77	80	86	81	91
8	68	83-02 DO YOU INSPECT INDUCTORS.	87	93	79	82	89	87	91
8	69	83-03 DO YOU CLEAN INDUCTORS.	75	79	55	75	76	74	76
8	70	83-04 DO YOU ADJUST INDUCTORS.	85	89	79	79	87	73	93
8	71	83-05 DO YOU REMOVE OR REPLACE INDUCTORS.	86	91	70	82	88	85	93
8	72	83-06 DO YOU USE OR REFER TO INDUCTANCE.	74	80	73	69	74	75	84
8	73	83-07 DO YOU USE OR REFER TO HENRIES.	53	66	57	53	53	48	64
8	74	83-08 DO YOU USE OR REFER TO INDUCTIVE REACTANCE.	59	59	63	55	54	48	60
8	75	83-09 DO YOU USE OR REFER TO COPPER LOSS IN INDUCTORS.	9	4	14	8	8	9	14
8	76	83-10 DO YOU USE OR REFER TO HYSTERESIS LOSS IN INDUCTORS.	11	4	16	11	8	9	14
8	77	83-11 DO YOU USE OR REFER TO EDDY CURRENT LOSS IN INDUCTORS	10	14	14	10	11	6	13
8	78	83-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT	11	4	20	12	10	11	20
8	79	82-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE IN-DUCTANCE IS PROPORTIONAL TO THE SQUARE OF THE NUMBER OF	10	6	13	8	10	10	17
8	80	82-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE CROSS	11	10	14	12	11	10	16
8	81	82-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS INVERSELY PROPORTIONAL TO ITS	11	9	14	9	14	9	16
8	82	82-16 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE	8	6	13	7	9	7	9
8	83	83-17 DO YOU CALCULATE INDUCTANCE FOR PARTICULAR INDUCTORS USING FORMULAS.	14	6	25	14	15	14	17
8	84	83-18 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTANCE IN SERIES.	14	7	23	14	15	14	17
8	85	83-19 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN PARALLEL.	14	6	23	14	15	14	17
8	86	83-20 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN SERIES-PARALLEL CIRCUITS.	27	24	45	26	28	24	34
8	87	83-21 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LAGS VOLTAGE IN AC INDUCTOR CIRCUITS.	16	10	39	18	15	12	17
8	88	83-22 DO YOU CALCULATE INDUCTIVE REACTANCE.	28	29	52	24	30	25	31
8	89	83-23 DO YOU WORK WITH POWER INDUCTORS.	50	54	41	41	53	44	63
8	90	83-24 DO YOU WORK WITH AUDIO FREQUENCY INDUCTORS.	72	77	71	48	73	73	86
8	91	83-25 DO YOU WORK WITH RADIO FREQUENCY INDUCTORS.	79	84	77	71	81	79	94

Section labels (right margin):
- ALTERNATING CURRENT
- INDUCTORS AND INDUCTIVE REACTANCE

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

CAPACITORS AND
CAPACITIVE REACTANCE

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
C 92	CI-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING CAPACITORS IN YOUR PRESENT JOB.	87	93	73	86	90	84	90
C 93	CI-02 DO YOU INSPECT CAPACITORS.	91	96	79	88	96	88	96
C 94	CI-03 DO YOU CLEAN CAPACITORS.	82	87	59	81	89	79	90
C 95	CI-04 DO YOU ADJUST CAPACITORS.	89	96	79	86	93	86	97
C 96	CI-05 DO YOU TEST CAPACITORS.	76	87	59	88	71	86	86
C 97	CI-06 DO YOU DISCHARGE CAPACITORS.	72	74	61	75	75	68	86
C 98	CI-07 DO YOU REMOVE OR REPLACE CAPACITORS.	91	96	81	74	90	88	86
C 99	CI-08 DO YOU REFER TO DISTRIBUTED CAPACITANCE.	17	17	29	14	14	14	24
C 100	CI-09 DO YOU USE OR REFER TO ORBITAL STRESS OF ELECTRONS IN A DIELECTRIC.	9	7	7	5	3	4	7
C 101	CI-10 DO YOU USE OR REFER TO FARADS, MICROFARADS, OR PICOFARADS.	79	87	75	75	85	73	81
C 102	CI-11 DO YOU USE OR REFER TO CAPACITANCE.	82	90	77	76	86	80	90
C 103	CI-12 DO YOU USE OR REFER TO DIELECTRIC CONSTANT.	17	16	30	18	17	13	20
C 104	CI-13 DO YOU USE OR REFER TO WORKING VOLTAGE RATING OF CAPACITORS.	60	69	63	57	64	48	76
C 105	CI-14 DO YOU USE OR REFER TO CAPACITIVE REACTANCE	42	43	54	41	40	38	50
C 106	CI-15 DO YOU USE OR REFER TO CAPACITOR COLOR CODES	44	47	39	44	47	33	64
C 107	CI-16 DO YOU WORK WITH CAPACITORS IN DC CIRCUITS	89	94	86	86	92	85	94
C 108	CI-17 DO YOU WORK WITH CAPACITORS IN AC CIRCUITS	89	90	86	87	93	86	96
C 109	CI-18 DO YOU WORK WITH CAPACITORS IN CIRCUITS WITH BOTH DC AND AC	85	86	80	81	89	84	94
C 110	CI-19 DO YOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CIRCUITS	16	16	9	16	17	12	21
C 111	CI-20 DO YOU CALCULATE CAPACITANCE FOR PARTICULAR CAPACITORS USING FORMULAS	10	11	16	11	10	9	11
C 112	CI-21 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITANCE OF A CAPACITOR IS DIRECTLY PROPORTIONAL TO THE	11	10	18	11	10	9	21
C 113	CI-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITANCE OF A CAPACITOR IS INVERSELY PROPORTIONAL TO	14	14	23	11	13	11	24
C 114	CI-23 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES	21	21	36	21	23	20	19
C 115	CI-24 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN PARALLEL	21	20	36	21	24	20	19
C 116	CI-25 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES-PARALLEL CIRCUITS	19	19	34	18	22	18	16
C 117	CI-26 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT DOES NOT FLOW THROUGH CAPACITORS, IT ONLY APPEARS TO DO SO	34	30	41	30	34	35	46
C 118	CI-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LEADS VOLTAGE IN AC CAPACITOR CIRCUITS	26	23	43	23	25	24	39
C 119	CI-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITIVE REACTANCE IS INVERSELY PROPORTIONAL TO	26	23	46	25	27	25	30
C 120	CI-29 DO YOU CALCULATE CAPACITIVE REACTANCE	15	10	30	15	14	15	16

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

			SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
C 121	C1-30	DO YOU WORK WITH ROTOR-STATOR (VARIABLE) CAPACITORS	84	91	80	90	90	84	96
C 122	C1-31	DO YOU WORK WITH COMPRESSION (TRIMMER) CAPACITORS	84	90	82	76	89	82	94
C 123	C1-32	DO YOU WORK WITH ELECTROLYTIC (FIXED) CAPACITORS	87	91	82	84	84	84	96
C 124	C1-33	DO YOU WORK WITH PAPER (FIXED) CAPACITORS	80	88	77	75	84	75	90
C 125	C1-34	DO YOU WORK WITH MICA (FIXED) CAPACITORS	82	89	80	80	87	75	90
C 126	C1-35	DO YOU WORK WITH CERAMIC (FIXED) CAPACITORS	87	90	82	84	91	83	90
C 127	C1-36	DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF ... CAPACITORS	15	13	11	17	13	19	13
C 128	C2-01	DO YOU WORK WITH TRANSFORMERS IN YOUR PRESENT JOB	78	86	75	76	84	72	84
C 129	C2-02	DO YOU INSPECT TRANSFORMERS	82	90	70	80	87	78	91
C 130	C2-03	DO YOU CLEAN TRANSFORMERS	64	70	50	66	71	52	70
C 131	C2-04	DO YOU ADJUST TRANSFORMERS	56	63	46	55	66	46	64
C 132	C2-05	DO YOU TROUBLESHOOT TRANSFORMERS	74	79	63	70	78	70	89
C 133	C2-06	DO YOU REMOVE OR REPLACE COMPLETE TRANSFORMERS	82	91	71	78	87	76	93
C 134	C2-07	DO YOU REMOVE OR REPLACE TRANSFORMER PARTS, SUCH AS THE PRIMARY WINDING	10	11	9	11	9	10	17
C 135	C2-08	DO YOU MAKE A DISTINCTION BETWEEN MUTUAL INDUCTION AND MUTUAL INDUCTANCE (M)	6	4	9	6	5	4	14
C 136	C2-09	DO YOU USE THE SYMBOL FOR MUTUAL INDUCTANCE, M	6	4	11	6	5	5	11
C 137	C2-10	DO YOU REFER TO OR USE THE COEFFICIENT OF COUPLING WHEN WORKING WITH TRANSFORMERS	9	9	14	8	10	9	11
C 138	C2-11	DO YOU CALCULATE TURNS RATIOS FOR TRANSFORMERS USING CURRENT OR VOLTAGE RATIOS	12	13	21	11	9	9	23
C 139	C2-12	DO YOU REFER TO REFLECTED IMPEDANCE WHEN WORKING WITH TRANSFORMERS	8	13	16	7	8	8	13
C 140	C2-13	DO YOU CALCULATE IMPEDANCE INTERACTIONS FOR TRANSFORMERS	6	4	13	6	5	5	11
C 141	C2-14	DO YOU WORK WITH AUTOTRANSFORMERS	42	37	52	42	41	37	57
C 142	C2-15	DO YOU WORK WITH POWER TRANSFORMERS	72	81	73	70	77	63	83
C 143	C2-16	DO YOU WORK WITH AUDIO TRANSFORMERS	74	81	73	70	79	68	87
C 144	C2-17	DO YOU WORK WITH RADIO FREQUENCY TRANSFORMERS	70	74	70	66	76	62	90
C 145	C2-18	DO YOU WORK WITH DON'T REMEMBER WHAT TYPE OF TRANSFORMERS	19	20	9	22	19	23	16
C 146	C2-19	DO YOU CHECK TRANSFORMERS FOR OPEN WINDINGS BY MEASURING RESISTANCE	76	89	71	72	78	69	94
C 147	C2-20	DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING RESISTANCE	70	77	68	70	72	62	84
C 148	C2-21	DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING OUTPUT VOLTAGES	67	79	66	62	71	60	80
C 149	C2-22	DO YOU MEASURE RESISTANCE OF TRANSFORMER WINDINGS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-	24	27	27	25	27	20	26
C 150	C2-23	DO YOU MEASURE OUTPUT VOLTAGE OF TRANSFORMERS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-	40	39	46	41	41	35	57
C 151	C2-24	DO YOU REFER TO BASIC TRANSFORMER SCHEMATIC SYMBOLS FOR TRANSFORMERS	60	87	75	76	85	76	91

CAPACITORS

TRANSFORMERS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

	DY-TSK		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
C 152	C2-25	DO YOU REFER TO MULTIPLE SECONDARY-WINDINGS SCHEMATIC SYMBOLS FOR TRANSFORMERS	71	79	68	67	75	68	80
C 153	C2-26	DO YOU REFER TO MULTIPLE TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS	73	83	70	69	78	69	87
C 154	C2-27	DO YOU REFER TO CENTER TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS	77	87	75	73	81	74	87
C 155	C2-28	DO YOU REFER TO AIR CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS	55	60	48	49	60	52	67
C 156	C2-29	DO YOU REFER TO IRON CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS	59	61	54	54	65	53	71
C 157	C2-30	DO YOU REFER TO COMBINATIONS OF THE ABOVE SCHEMATIC SYMBOLS FOR TRANSFORMERS	45	79	59	61	68	57	77
C 158	C2-31	DO YOU DETERMINE PHASE RELATIONSHIPS BETWEEN SECONDARY AND PRIMARY VOLTAGES OF TRANSFORMERS USING	26	29	39	24	27	27	29
C 159	C2-32	DO YOU DETERMINE OR REFER TO THE TYPE OF CORE IN TRANSFORMERS YOU WORK WITH	27	23	29	23	32	28	29
C 160	C2-33	DO YOU REFER TO OR USE THE GENERAL RULE THAT THE TURNS RATIO OF A TRANSFORMER IS EQUAL TO THE VOLTAGE RATIO	21	27	29	21	19	19	30
C 161	C2-34	DO YOU USE OR REFER TO STEP-UP OR STEP-DOWN RATIOS FOR TRANSFORMERS	37	39	46	33	37	34	53
C 142	C2-35	DO YOU CALCULATE VOLTAGE RATIOS FOR TRANSFORMERS USING TURNS RATIOS	13	11	23	12	15	12	16
C 163	C2-36	DO YOU CALCULATE CURRENT RATIOS FOR TRANSFORMERS USING TURNS RATIOS	11	10	12	10	13	8	13
C 164	C2-37	DOES YOUR JOB INVOLVE ANY TASKS DEALING WITH THREE PHASE TRANSFORMERS	55	59	55	50	5?	53	76
C 165	C2-38	DO YOU INSPECT THREE PHASE TRANSFORMERS	52	56	39	51	55	47	73
C 166	C2-39	DO YOU CLEAN OR LUBRICATE THREE PHASE TRANSFORMERS	30	37	20	35	33	-0	41
C 167	C2-40	DO YOU ADJUST THREE PHASE TRANSFORMERS	18	30	13	22	15	15	23
C 168	C2-41	DO YOU TROUBLESHOOT THREE PHASE TRANSFORMERS	48	51	39	41	53	43	70
C 169	C2-42	DO YOU REMOVE OR REPLACE COMPLETE THREE PHASE TRANSFORMERS	50	57	41	48	56	43	73
C 170	C2-43	DO YOU REMOVE OR REPLACE THREE PHASE TRANSFORMER PARTS SUCH AS WINDINGS	6	4	5	7	5	6	10
C 171	C3-01	DO YOU USE OR REFER TO PERMANENT MAGNETS	34	36	34	37	34	31	26
C 172	C3-02	DO YOU USE OR REFER TO TEMPORARY MAGNETS	31	30	32	38	30	31	26
C 173	C3-03	DO YOU USE OR REFER TO RETENTIVITY OF MAGNETIC MATERIALS	8	1	9	9	8	10	9
C 174	C3-04	DO YOU USE OR REFER TO RELUCTANCE OF MAGNETIC MATERIALS	6	1	11	6	6	8	7
C 175	C3-05	DO YOU USE OR REFER TO PERMEABILITY OF MAGNETIC MATERIALS	8	3	14	8	7	9	9
C 176	C3-06	DO YOU USE OR REFER TO RESIDUAL MAGNETISM	12	6	18	16	11	13	11
C 177	C3-07	DO YOU USE OR REFER TO MAGNETIC LINES OF FORCE OR FLUX	17	10	30	20	15	16	19
C 178	C3-08	DO YOU USE OR REFER TO WEBER'S THEORY OF MAGNETISM	5	1	4	6	5	5	9

MAGNETISM

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 9

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
C 179 C3-09	DO YOU USE OR REFER TO DOMAIN THEORY OF MAGNETISM	5	3	5	5	5	5	9
C 180 C3-10	DO YOU USE OR REFER TO MAGNETIC INDUCTION	16	11	21	5	18	12	16
C 181 C3-11	DO YOU USE OR REFER TO FLUX DENSITY	11	6	20	15	10	10	10
C 182 C3-12	DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR MAGNETIC POLES, LIKE POLES REPEL AND UNLIKE POLES ATTRACT	42	37	52	45	40	40	43
C 183 C3-13	DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES	16	9	25	16	14	22	20
C 184 C3-14	DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE NORTH POLE OF A CURRENT CARRYING COIL	14	6	27	15	10	18	16
D 185 D1-01	DO YOU WORK WITH RC, LR, RCL CIRCUITS IN YOUR PRESENT JOB	67	73	66	65	68	63	79
D 186 D1-02	DO YOU USE OR REFER TO VECTORS WHEN WORKING WITH RCL CIRCUITS	10	3	20	10	14	9	10
D 187 D1-03	DO YOU USE OR REFER TO PYTHAGOREAN THEOREM WHEN WORKING WITH RCL CIRCUITS	7	4	7	8	6	7	7
D 188 D1-04	DO YOU USE OR REFER TO SINE WHEN WORKING WITH RCL CIRCUITS	8	7	16	9	10	6	10
D 189 D1-05	DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL CIRCUITS	8	9	14	8	8	6	9
D 190 D1-06	DO YOU USE OR REFER TO TANGENT WHEN WORKING WITH RCL CIRCUITS	7	4	13	8	8	6	7
D 191 D1-07	DO YOU USE OR REFER TO WATTS WHEN WORKING WITH RCL CIRCUITS	57	60	54	54	58	54	76
D 192 D1-08	DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS	24	17	32	25	24	27	27
D 193 D1-09	DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN WORKING WITH RCL CIRCUITS	28	29	36	27	31	27	34
D 194 D1-10	DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS	26	31	36	25	27	24	30
D 195 D1-11	DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS	18	19	23	18	19	18	20
D 196 D1-12	DO YOU USE OR REFER TO POWER FACTOR (PF) WHEN WORKING WITH RCL CIRCUITS	15	13	16	16	16	14	17
D 197 D1-13	DO YOU USE OR REFER TO RESONANT CIRCUITS WHEN WORKING WITH RCL CIRCUITS	57	64	59	51	57	52	74
D 198 D1-14	DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS	61	60	64	59	63	56	76
D 199 D1-15	DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS	63	64	63	62	62	57	84
D 200 D1-16	DO YOU USE OR REFER TO RESONANT FREQUENCY WHEN WORKING WITH RCL CIRCUITS	62	64	66	59	63	56	81
D 201 D1-17	DO YOU USE OR REFER TO HALF POWER POINTS WHEN WORKING WITH RCL CIRCUITS	21	16	25	21	21	20	23
D 202 D1-18	DO YOU USE OR REFER TO BANDPASS REGION WHEN WORKING WITH RCL CIRCUITS	40	29	48	40	45	35	49
D 203 D1-19	DO YOU USE OR REFER TO CIRCUIT Q WHEN WORKING WITH RCL CIRCUITS	23	23	34	20	26	21	29

RCL CIRCUITS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
D 204	DI-20 DO YOU USE OR REFER TO TANK CIRCUITS WHEN WORKING WITH RCL CIRCUITS.	42	71	63	55	61	59	84
D 205	DI-21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS USING FORMULAS	5	4	11	5	5	5	9
D 206	DI-22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE VECTOR DIAGRAMS FOR CIRCUITS	7	4	18	5	7	5	9
D 207	DI-23 DO YOU CALCULATE TOTAL IMPEDANCE FOR CAPACITIVE CIRCUITS	10	11	16	10	10	10	13
D 208	DI-24 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE AND RESISTANCE IN CAPACITIVE CIRCUITS	5	6	13	5	5	5	7
D 209	DI-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL CIRCUITS	10	13	21	9	10	8	14
D 210	DI-26 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL CIRCUITS	5	4	11	6	6	5	7
D 211	DI-27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES RCL CIRCUITS	6	7	14	5	7	6	9
D 212	DI-28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL CIRCUITS	8	7	18	5	9	6	11
D 213	DI-29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES RCL CIRCUITS	6	4	16	4	8	6	10
D 214	DI-30 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL CIRCUITS	9	10	21	9	9	8	9
D 215	DI-31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL RCL CIRCUITS	5	6	11	5	5	5	7
D 216	DI-32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS	6	6	16	6	5	5	7
D 217	DI-33 DO YOU CALCULATE THE ASSUMED VOLTAGE METHOD CIRCUITS USING CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING OHM'S LAW	10	11	23	10	10	10	13
D 218	DI-34 DO YOU CHECK CAPACITORS USING OHMMETERS	64	70	64	60	68	57	79
D 219	DI-35 DO YOU CHECK CAPACITORS USING SUBSTITUTION	53	53	63	51	57	51	66
D 220	DI-36 DO YOU CHECK INDUCTORS USING OHMMETERS	63	67	68	61	64	57	80
D 221	DI-37 DO YOU CHECK INDUCTORS USING SUBSTITUTION	49	49	43	49	51	47	61
D 222	DI-38 DO YOU USE OR REFER TO THE GENERAL RULE THAT THETA= 0, PF = 1, AND PA = PT FOR RESONANT CIRCUITS	4	4	5	4	4	3	10
D 223	DI-39 DO YOU CALCULATE RESONANT FREQUENCIES FOR RCL CIRCUITS	13	14	32	12	11	14	14
D 224	DI-40 DO YOU USE OR REFER TO THE GENERAL RULE THAT IMPEDANCE IS MINIMUM AND CURRENT MAXIMUM AT THE RESONANT	25	27	39	20	25	22	33
D 225	DI-41 DO YOU USE OR REFER TO THE GENERAL RULE THAT LINE CURRENT IS MINIMUM AND IMPEDANCE MAXIMUM AT RESONANT	21	19	34	17	22	20	30
D 226	DI-42 DO YOU USE OR REFER TO THE GENERAL RULE THAT HALF POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK CURRENT VALUE	20	16	41	19	18	19	21
D 227	DI-43 DO YOU USE OR REFER TO THE GENERAL RULE THAT BANDWIDTH IS INVERSELY PROPORTIONAL TO Q	17	20	34	17	16	14	19
D 228	DI-44 DO YOU DETERMINE HOW CHANGES IN FREQUENCY, RESISTANCE, CAPACITANCE, OR INDUCTANCE WILL AFFECT CURRENT OR PHASE	13	13	30	10	13	9	23

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
C 179	C3-09 DO YOU USE OR REFER TO DOMAIN THEORY OF MAGNETISM	5	3	5	5	5	5	9
C 180	C3-10 DO YOU USE OR REFER TO MAGNETIC INDUCTION	16	11	21	17	18	12	16
C 181	C3-11 DO YOU USE OR REFER TO FLUX DENSITY	11	6	20	15	10	10	16
C 182	C3-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR MAGNETIC POLES, LIKE POLES REPEL AND UNLIKE POLES ATTRACT	42	37	52	45	40	40	43
C 183	C3-13 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES	16	9	25	16	14	22	20
C 184	C3-14 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE NORTH POLE OF A CURRENT CARRYING COIL	14	6	27	15	10	18	16
D 185	D1-01 DO YOU WORK WITH RC, LR, RCL CIRCUITS IN YOUR PRESENT JOB	67	73	66	65	68	63	79
D 186	D1-02 DO YOU USE OR REFER TO VECTORS WHEN WORKING WITH RCL CIRCUITS	10	3	20	10	14	9	10
D 187	D1-03 DO YOU USE OR REFER TO PYTHAGOREAN THEOREM WHEN WORKING WITH RCL CIRCUITS	7	4	7	8	6	7	7
D 188	D1-04 DO YOU USE OR REFER TO SINE WHEN WORKING WITH RCL CIRCUITS	8	7	16	9	10	6	10
D 189	D1-05 DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL CIRCUITS	8	9	14	8	8	6	9
D 190	D1-06 DO YOU USE OR REFER TO TANGENT WHEN WORKING WITH RCL CIRCUITS	7	4	13	8	8	6	7
D 191	D1-07 DO YOU USE OR REFER TO WATTS WHEN WORKING WITH RCL CIRCUITS	57	60	54	54	58	54	76
D 192	D1-08 DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS	24	17	32	25	28	24	27
D 193	D1-09 DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN WORKING WITH RCL CIRCUITS	28	29	36	27	31	27	34
D 194	D1-10 DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS	26	31	36	25	27	24	30
D 195	D1-11 DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS	18	19	23	18	19	18	20
D 196	D1-12 DO YOU USE OR REFER TO POWER FACTOR (PF) WHEN WORKING WITH RCL CIRCUITS	15	13	23	16	16	14	17
D 197	D1-13 DO YOU USE OR REFER TO RESONANT CIRCUITS WHEN WORKING WITH RCL CIRCUITS	57	64	59	51	57	52	74
D 198	D1-14 DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS	61	60	64	59	63	56	76
D 199	D1-15 DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS	63	64	63	62	62	57	84
D 200	D1-16 DO YOU USE OR REFER TO RESONANT FREQUENCY WHEN WORKING WITH RCL CIRCUITS	62	64	66	59	63	56	81
D 201	D1-17 DO YOU USE OR REFER TO HALF POWER POINTS WHEN WORKING WITH RCL CIRCUITS	21	18	25	21	21	20	23
D 202	D1-18 DO YOU USE OR REFER TO BANDPASS REGION WHEN WORKING WITH RCL CIRCUITS	40	29	48	40	45	35	49
D 203	D1-19 DO YOU USE OR REFER TO CIRCUIT Q WHEN WORKING WITH RCL CIRCUITS	23	23	34	20	26	21	29

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

	DY-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
D 204	D1-20 DO YOU USE OR REFER TO TANK CIRCUITS WHEN WORKING WITH RCL CIRCUITS	62	71	63	55	61	59	84
D 205	D1-21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS USING FORMULAS	5	4	11	5	5	5	9
D 206	D1-22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE VECTOR DIAGRAMS FOR CIRCUITS	7	4	18	7	7	5	9
D 207	D1-23 DO YOU CALCULATE TOTAL IMPEDANCE FOR CAPACITIVE CIRCUITS	10	11	16	10	10	9	13
D 208	D1-24 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE AND RESISTANCE IN CAPACITIVE CIRCUITS	5	6	13	5	5	5	7
D 209	D1-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL CIRCUITS	10	13	21	9	10	8	14
D 210	D1-26 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL CIRCUITS	5	4	11	6	6	5	7
D 211	D1-27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES RCL CIRCUITS	6	7	14	5	7	6	9
D 212	D1-28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL CIRCUITS	8	7	16	5	9	6	11
D 213	D1-29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES RCL CIRCUITS	6	4	16	4	8	5	10
D 214	D1-30 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL CIRCUITS	9	10	21	9	9	8	9
D 215	D1-31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL RCL CIRCUITS	5	6	11	5	5	5	7
D 216	D1-32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING THE ASSUMED VOLTAGE METHOD	6	6	16	6	5	5	7
D 217	D1-33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING OHM'S LAW	10	11	23	10	10	10	13
D 218	D1-34 DO YOU CHECK CAPACITORS USING OHMMETERS	64	70	64	60	68	57	79
D 219	D1-35 DO YOU CHECK CAPACITORS USING SUBSTITUTION	53	53	63	51	57	57	66
D 220	D1-36 DO YOU CHECK INDUCTORS USING OHMMETERS	63	69	68	61	68	57	80
D 221	D1-37 DO YOU CHECK INDUCTORS USING SUBSTITUTION	49	49	43	49	51	47	61
D 222	D1-38 DO YOU USE OR REFER TO THE GENERAL RULE THAT THETA= 0, PF = 1, AND PA = PT FOR RESONANT CIRCUITS	4	4	5	4	4	3	10
D 223	D1-39 DO YOU CALCULATE RESONANT FREQUENCIES FOR RCL CIRCUITS	13	14	32	12	11	14	14
D 224	D1-40 DO YOU USE OR REFER TO THE GENERAL RULE THAT IMPEDANCE IS MINIMUM AND CURRENT MAXIMUM AT THE RESONANT IMPEDANCE	25	27	39	20	25	22	33
D 225	D1-41 DO YOU USE OR REFER TO THE GENERAL RULE THAT LINE CURRENT IS MINIMUM AND IMPEDANCE MAXIMUM AT RESONANT	21	19	34	17	22	20	30
D 226	D1-42 DO YOU USE OR REFER TO THE GENERAL RULE THAT HALF POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK CURRENT VALUE	20	16	41	19	18	19	21
D 227	D1-43 DO YOU USE OR REFER TO THE GENERAL RULE THAT BANDWIDTH IS INVERSELY PROPORTIONAL TO Q	17	20	34	17	16	14	19
D 228	D1-44 DO YOU DETERMINE HOW CHANGES IN FREQUENCY, RESISTANCE, CAPACITANCE, OR INDUCTANCE WILL AFFECT CURRENT OR PHASE	13	13	30	10	13	9	23

TASK   GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
D 229	D2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH, USE, OR REFER TO SERIES OR PARALLEL RESONANT CIRCUITS OR TIME CONSTANTS	33	26	45	32	32	31	43
D 230	D2-02 DO YOU WORK WITH, USE, OR REFER TO TIME CONSTANTS	18	10	29	17	17	19	27
D 231	D2-03 DO YOU WORK WITH, USE, OR REFER TO AVAILABLE VOLTAGE	14	11	18	13	13	16	19
D 232	D3-04 DO YOU WORK WITH, USE, OR REFER TO TRANSIENT INTERVALS	10	6	20	9	11	11	11
D 233	D2-05 DO YOU USE OR REFER TO THE GENERAL RULE THAT A CAPACITOR IS FULLY CHARGED (OR DISCHARGED) AFTER FIVE (5) TIME INTERVALS	13	7	25	13	12	10	17
D 234	D2-06 DO YOU USE OR REFER TO UNIVERSAL TIME CONSTANT CHARTS	5	4	11	5	5	4	7
D 235	D2-07 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CIRCUIT CURRENT OR COMPONENT VOLTAGES AFTER A SPECIFIC TIME	5	6	11	5	4	5	10
D 236	D2-08 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE THE TIME REQUIRED FOR CIRCUIT CURRENT OR COMPONENT VOLTAGES TO	5	4	11	5	3	5	7
D 237	D2-09 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE COMPONENT VALUES REQUIRED FOR CIRCUIT CURRENT AND	5	11	11	4	5	5	7
D 238	D2-10 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT IN LR CIRCUITS REACHES ITS MINIMUM VALUE (OR ZERO) AFTER	8	6	11	6	7	7	13
D 239	D3-01 DO YOU WORK WITH CIRCUITS USED AS FILTERS IN YOUR PRESENT JOB	80	89	79	72	83	75	93
D 240	D3-02 DO YOU INSPECT FILTER CIRCUITS	79	81	71	74	82	76	91
D 241	D3-03 DO YOU CLEAN FILTER CIRCUITS	63	73	46	62	68	55	71
D 242	D3-04 DO YOU ALIGN OR ADJUST FILTER CIRCUITS	62	73	71	65	65	52	71
D 243	D3-05 DO YOU TROUBLESHOOT TO THE FILTER CIRCUIT LEVEL	72	77	68	65	74	71	90
D 244	D3-06 DO YOU TROUBLESHOOT TO COMPONENT PARTS	65	67	59	61	68	63	77
D 245	D3-07 DO YOU REMOVE OR REPLACE THE COMPLETE FILTER CIRCUIT	77	84	70	72	79	74	89
D 246	D3-08 DO YOU REMOVE OR REPLACE FILTER CIRCUIT COMPONENT PARTS	62	66	43	56	64	63	80
D 247	D3-09 DO YOU WORK WITH LOW PASS FILTERS	75	79	68	70	80	71	86
D 248	D3-10 DO YOU WORK WITH HIGH PASS FILTERS	71	71	68	70	75	64	83
D 249	D3-11 DO YOU WORK WITH BANDPASS FILTERS	76	80	68	73	80	71	87
D 250	D3-12 DO YOU WORK WITH BAND-REJECT FILTERS	58	54	59	59	60	49	70
D 251	D3-13 DON'T REMEMBER WHICH TYPE OF FILTER YOU WORK WITH	18	19	11	14	32	16	19
D 252	D3-14 DO YOU WORK WITH L-SECTION FILTER CONFIGURATION	41	41	45	40	42	36	56
D 253	D3-15 DO YOU WORK WITH T-SECTION FILTER CONFIGURATION	41	41	41	39	43	37	54
D 254	D3-16 DO YOU WORK WITH PI-SECTION FILTER CONFIGURATION	37	37	38	36	39	33	54
D 255	D3-17 DON'T REMEMBER WHICH TYPE FILTER CONFIGURATION	36	43	23	28	39	38	33
D 256	D3-18 DO THE FILTERS YOU WORK WITH USE PARALLEL RESONANT CIRCUITS	48	53	54	43	52	41	61
D 257	D3-19 DO THE FILTERS YOU WORK WITH USE SERIES-PARALLEL CIRCUITS	48	49	54	43	51	42	64
D 258	D3-20 DO THE FILTERS YOU WORK WITH USE SERIES RESONANT CIRCUITS	47	50	54	49	51	39	59

SERIES AND
PARALLEL RESONANCE
(TIME CONSTANTS)

FILTERS

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 12

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

	DV-TSK		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
D	259	D3-21 DON'T REMEMBER WHICH TYPE OF BASIC CIRCUIT	33	33	21	27	37	38	29
D	260	D3-22 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CAPACITANCE OR INDUCTANCE VALUES REQUIRED FOR SPECIFIC	8	4	11	7	8	9	10
E	261	E1-01 DO YOU WORK WITH COUPLING DEVICES IN YOUR PRESENT JOB	73	71	68	69	69	69	84
E	262	E1-02 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH RC	64	63	66	62	66	57	76
E	263	E1-03 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	44	60	59	65	68	59	71
E	264	E1-04 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	66	63	68	62	69	61	80
E	265	E1-05 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM RC COUPLING	63	63	70	61	66	57	76
E	266	E1-06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM IMPEDANCE COUPLING	63	63	61	63	67	57	73
E	267	E1-07 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM TRANSFORMER COUPLING	66	67	68	60	69	61	77
E	268	E1-08 DO YOU WORK WITH DIRECTLY COUPLED CIRCUITS	61	61	63	55	67	56	71
E	269	E1-09 DO YOU WORK WITH CAPACITIVE-RESISTIVE COUPLED CIRCUITS	60	60	66	54	65	53	73
E	270	E1-10 DO YOU WORK WITH CAPACITIVE-INDUCTIVE COUPLED CIRCUITS	58	57	59	53	65	52	71
E	271	E1-11 DO YOU WORK WITH TRANSFORMER COUPLED CIRCUITS	62	59	66	56	66	57	77
E	272	E1-12 DON'T REMEMBER WHICH TYPE OF COUPLING CIRCUITS	19	17	9	22	17	20	13
E	273	E2-01 IN YOUR PRESENT JOB, DO YOU PERFORM SOLDERING TECHNIQUES OR INSPECT OR EVALUATE SOLDERED CONNECTIONS	83	87	86	94	95	89	97
E	274	E2-02 DO YOU SELECT TYPE OF SOLDER TO USE	74	76	70	71	73	78	69
E	275	E2-03 DO YOU ADD FLUX TO CONNECTIONS	89	91	73	88	91	90	94
E	276	E2-04 DO YOU CLEAN CONNECTIONS USING SOLVENTS	76	76	68	72	76	79	84
E	277	E2-05 DO YOU STRIP INSULATION FROM WIRES	95	96	86	95	96	95	100
E	278	E2-06 DO YOU CONNECT OR DISCONNECT HEAT SINKS	89	95	80	87	90	89	100
E	279	E2-07 DO YOU BEND OR SHAPE WIRES OR LEADS	95	97	84	95	97	94	100
E	280	E2-08 DO YOU CUT WIRES	95	97	86	95	97	95	100
E	281	E2-09 DO YOU FILE OR SHAPE SOLDERING IRON TIPS	80	83	71	79	83	76	86
E	282	E2-10 DO YOU TIN SOLDERING IRON TIPS	95	97	82	94	96	95	100
E	283	E2-11 DO YOU CLEAN SOLDERING IRON TIPS	94	96	84	94	97	93	89
E	284	E2-12 DO YOU CLEAN ELECTRICAL SURFACES USING ERASERS	86	91	70	84	87	87	89
E	285	E2-13 DO YOU TIN OR PRE-TIN CONDUCTORS	94	94	86	94	95	92	100
E	286	E2-14 DO YOU INSPECT SOLDERED CONNECTIONS	95	96	84	95	97	94	100
E	287	E2-15 DO YOU DESOLDER CONNECTIONS BY WICKING	86	71	61	64	64	64	67
E	288	E2-16 DO YOU DESOLDER CONNECTIONS USING VACUUM DESOLDERING	86	94	59	82	80	86	96
E	289	TOOLS E2-17 DO YOU CUT COMPONENT LEADS TO REMOVE COMPONENTS	77	83	77	76	83	73	77
E	290	E2-18 DO YOU CRUSH COMPONENTS FOR REMOVAL	34	30	21	29	41	36	41

COUPLING

SOLDERING

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		Task	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
E 291	E2-19	DO YOU MAKE HARDWIRE CONNECTIONS	89	90	79	89	94	89	89
E 292	E2-20	DO YOU MAKE PRINTED CIRCUIT BOARD CONNECTIONS	85	91	75	83	90	80	94
E 293	E2-21	DO YOU SOLDER PASSIVE COMPONENTS SUCH AS RESISTORS OR CAPACITORS ON PRINTED CIRCUIT BOARDS	85	91	77	83	90	81	96
E 294	E2-22	DO YOU SOLDER ACTIVE COMPONENTS SUCH AS SOLID-STATE DIODES OR TRANSISTORS ON PRINTED CIRCUIT BOARDS	83	89	73	80	87	79	94
E 295	E3-01	DO YOU WORK WITH RELAYS ON YOUR PRESENT JOB	91	97	89	88	94	91	96
E 296	E3-02	DO YOU ADJUST RELAYS	48	44	43	50	50	43	64
E 297	E3-03	DO YOU CLEAN RELAYS	74	81	63	74	72	70	84
E 298	E3-04	DO YOU INSPECT RELAYS	87	93	80	82	87	87	91
E 299	E3-05	DO YOU REMOVE OR REPLACE COMPLETE RELAYS	91	97	82	88	89	91	97
E 300	E3-06	DO YOU REMOVE OR REPLACE PARTS OR RELAYS	26	19	32	26	23	27	37
E 301	E3-07	DO YOU TROUBLESHOOT RELAYS	88	91	86	83	90	86	96
E 302	E3-08	DO YOU STRAIGHTEN RELAY CONTACTS	67	69	88	67	66	63	81
E 303	E3-09	DO YOU PERFORM TASKS ON RELAY CONTACTS	65	77	61	69	66	77	77
E 304	E3-10	DO YOU PERFORM TASKS ON RELAY CORES	14	14	16	12	14	11	23
E 305	E3-11	DO YOU PERFORM TASKS ON RELAY COILS	18	23	25	16	16	15	31
E 306	E3-12	DO YOU PERFORM TASKS ON RELAY ARMATURES	26	31	29	23	21	26	34
E 307	E3-13	DO YOU PERFORM TASKS ON RELAY SPRINGS	33	33	30	35	27	31	41
E 308	E3-14	DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW (SPST), NORMALLY OPER (NO) SCHEMATIC SYMBOLS FOR RELAYS	76	87	64	74	81	72	87
E 309	E3-15	DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW (SPST), NORMALLY CLOSED (NC) SCHEMATIC SYMBOLS FOR RELAYS	75	87	63	73	70	70	83
E 310	E3-16	DO YOU USE OR REFER TO SINGLE POLE, DOUBLE THROW (SPDT) SCHEMATIC SYMBOLS FOR RELAYS	74	86	63	72	78	68	83
E 311	E3-17	DO YOU USE OR REFER TO DOUBLE POLE, DOUBLE THROW (DPDT) SCHEMATIC SYMBOLS FOR RELAYS	73	86	66	71	78	69	81
E 312	E3-18	DO YOU USE OR REFER TO OTHER RELAY SYMBOLS SCHEMATIC SYMBOLS FOR RELAYS	68	79	57	65	70	63	77
E 313	E3-19	DO YOU CHECK ELECTRICAL CONTINUITY OF COILS BY MEASURING RESISTANCE	75	83	70	68	79	73	81
F 314	F1-01	IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH MICROPHONES	88	94	75	92	85	88	94
F 315	F1-02	DO YOU INSPECT MICROPHONES	83	86	59	89	81	82	90
F 316	F1-03	DO YOU CLEAN MICROPHONES	63	73	43	79	61	57	63
F 317	F1-04	DO YOU OPERATE MICROPHONES	89	94	73	93	86	90	96
F 318	F1-05	DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT	72	79	57	77	68	71	81
F 319	F1-06	DO YOU TROUBLESHOOT DOWN TO MICROPHONE PARTS	38	39	21	37	39	39	36
F 320	F1-07	DO YOU REMOVE OR REPLACE COMPLETE MICROPHONES	87	94	61	93	83	86	93
F 321	F1-08	DO YOU REMOVE OR REPLACE MICROPHONE PARTS	36	33	21	36	39	37	37
F 322	F1-09	DO YOU PERFORM TASKS ON CARBON MICROPHONES	78	80	66	83	77	76	77
F 323	F1-10	DO YOU PERFORM TASKS ON CAPACITOR MICROPHONES	12	14	13	13	13	11	14
F 324	F1-11	DO YOU PERFORM TASKS ON CRYSTAL MICROPHONES	13	13	9	12	17	13	14
F 325	F1-12	DO YOU PERFORM TASKS ON DYNAMIC MICROPHONES	78	84	64	82	78	73	84
F 326	F1-13	DO YOU PERFORM TASKS ON VELOCITY RIBBON MICROPHONES	5	6	2	6	3	6	9

RELAYS

MICROPHONES

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 14

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

Task	Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
F 327 F2-01	IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH SPEAKERS	79	74	66	87	81	74	81
F 328 F2-02	DO YOU INSPECT SPEAKERS	75	70	57	84	78	67	80
F 329 F2-03	DO YOU CLEAN SPEAKERS	54	51	43	49	56	43	54
F 330 F2-04	DO YOU OPERATE SPEAKERS	79	76	66	88	81	75	86
F 331 F2-05	DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT	70	74	59	76	61	61	74
F 332 F2-06	DO YOU TROUBLESHOOT DOWN TO SPEAKER PARTS	23	16	7	21	27	25	23
F 333 F2-07	DO YOU REMOVE OR REPLACE COMPLETE SPEAKERS	76	74	59	86	79	67	83
F 334 F2-08	DO YOU REMOVE OR REPLACE SPEAKER PARTS	18	10	7	16	23	18	16
F 335 F2-09	DO YOU PERFORM ANY TASKS ON SPEAKER CONES	4	4	2	10	9	12	13
F 336 F2-10	DO YOU PERFORM ANY TASKS ON SPEAKER SPIDERS	3	1	0	3	5	7	7
F 337 F2-11	DO YOU PERFORM ANY TASKS ON SPEAKER FIELD COILS	6	1	0	0	3	9	7
F 338 F2-12	DO YOU PERFORM ANY TASKS ON SPEAKER VOICE COILS	7	4	0	8	8	9	9
F 339 F2-13	DO YOU PERFORM ANY TASKS ON SPEAKER PERMANENT MAGNETS	7	1	2	7	6	10	13
F 340 F2-14	DO YOU PERFORM ANY TASKS ON SPEAKER ELECTROMAGNETS	7	4	2	7	7	7	13
F 341 F2-15	DO YOU PERFORM ANY TASKS ON SPEAKER SOFT IRON CORES	5	1	0	5	5	5	9
F 342 F3-01	DO YOU USE OSCILLOSCOPES IN YOUR PRESENT JOB	84	94	75	81	86	86	96
F 343 F3-02	DO YOU USE OSCILLOSCOPES TO PERFORM OPERATIONAL CHECKS	79	89	75	76	75	81	91
F 344 F3-03	DO YOU USE OSCILLOSCOPES TO PERFORM ALIGNMENTS OR ADJUSTMENTS	79	91	77	75	76	82	91
F 345 F3-04	DO YOU USE OSCILLOSCOPES TO TROUBLESHOOT ELECTRONIC CIRCUITS	75	89	70	75	72	76	83
F 346 F3-05	DO YOU USE OSCILLOSCOPES TO MEASURE FREQUENCY	53	64	55	59	51	48	60
F 347 F3-06	DO YOU USE OSCILLOSCOPES TO MEASURE TIME	35	30	38	39	39	30	37
F 348 F3-07	DO YOU USE OSCILLOSCOPES TO OBSERVE LISAJOUS PATTERNS	44	27	36	37	67	33	51
F 349 F3-08	DO YOU USE OSCILLOSCOPES TO OBSERVE SIGNALS WHILE UTILIZING ATTENUATOR PROBES	70	83	66	71	62	74	81
F 350 F3-09	DO YOU USE OSCILLOSCOPES TO MAKE FREQUENCY OR TIME MEASUREMENTS USING DELAY TIME MULTIPLIERS	25	24	27	28	25	26	27
F 351 F3-10	DO YOU USE OSCILLOSCOPES TO MEASURE AC VOLTAGE	65	79	63	69	63	61	70
F 352 F3-11	DO YOU USE OSCILLOSCOPES TO MEASURE OR OBSERVE SIGNALS AFTER FIRST ADJUSTING THE GAIN AND DC BAL CONTROLS	52	56	55	59	46	52	56
F 353 F3-12	DO YOU USE OSCILLOSCOPES TO MEASURE DC VOLTAGE	56	70	54	67	57	50	51
F 354 G1-01	DO YOU WORK WITH SEMICONDUCTOR DIODES IN YOUR PRESENT JOB	83	89	77	80	84	82	96
G 355 G1-02	DO YOU INSPECT DIODES	83	84	71	81	84	84	96
G 356 G1-03	DO YOU REMOVE OR REPLACE DIODES	83	87	71	82	84	83	97
G 357 G1-04	DO YOU CHECK DIODES USING AN INSTRUMENT	78	83	75	76	76	78	90
G 358 G1-05	DO YOU USE ENERGY LEVEL DIAGRAMS IN YOUR WORK WITH DIODES	4	1	9	5	4	5	7
G 359 G1-06	DO YOU USE PN JUNCTION DIODE CHARACTERISTIC CURVES, TOGETHER WITH VALUES OF FORWARD AND REVERSE BIAS VOLTAGE,	9	7	16	10	8	8	16
G 360 G1-07	DO YOU COMPUTE FORWARD OR REVERSE BIAS RESISTANCE FOR DIODES	16	16	18	18	16	11	21

SPEAKERS

OSCILLOSCOPES

SEMICONDUCTOR DIODES

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
G 361 G1-08	DO YOU USE OR REFER TO THE GENERAL RULE THAT TEMPERATURE CAN AFFECT THE OPERATION OF DIODES	50	53	45	46	52	47	71
G 362 G1-09	DO YOU IDENTIFY SEMICONDUCTOR DIODES AS OPPOSED TO OTHER ELECTRONIC COMPONENTS, SUCH AS RESISTORS, BASED ON	70	73	59	68	71	67	87
G 363 G1-10	DO YOU REFER TO OR DO YOU DETERMINE THE GENERAL EFFECTS OF DOPING ON CURRENT FLOW	10	10	18	8	9	13	10
G 364 G1-11	DO YOU USE OR REFER TO MEASUREMENTS OF FORWARD BIAS RESISTANCE	54	59	46	53	55	51	64
G 365 G1-12	DO YOU USE OR REFER TO DIODE COLOR CODING	33	27	16	38	38	24	46
G 366 G1-13	DO YOU USE OR REFER TO CENTRIFUGAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	2	0	0	2	3	2	4
G 367 G1-14	DO YOU USE OR REFER TO CENTRIPETAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	2	0	0	2	2	2	4
G 368 G1-15	DO YOU USE OR REFER TO DIODE NUMBERING SYSTEM, SUCH AS IN 5J8	60	63	54	59	62	59	76
G 369 G1-16	DO YOU USE OR REFER TO KINETIC ENERGY OF AN ELECTRON MOVING IN ORBIT	3	0	0	3	3	2	7
G 370 G1-17	DO YOU USE OR REFER TO POTENTIAL ENERGY OF AN ELECTRON MOVING IN ORBIT	3	0	2	3	3	2	7
G 371 G1-18	DO YOU USE OR REFER TO MEASUREMENTS OF REVERSE BIAS RESISTANCE	51	60	46	50	53	45	64
G 372 G1-19	DO YOU USE OR REFER TO NUMBER OF ELECTRONS IN A PARTICULAR SHELL OR ORBIT	4	0	9	5	3	2	9
G 373 G1-20	DO YOU USE OR REFER TO PERMISSIBLE ENERGY LEVELS OF AN ORBITING ELECTRON	3	0	7	3	3	3	6
G 374 G1-21	DO YOU USE OR REFER TO FORBIDDEN ENERGY LEVELS OF AN ORBITING ELECTRON	3	0	5	3	3	3	6
G 375 G1-22	DO YOU USE OR REFER TO VALENCE ELECTRONS (THOSE IN THE OUTERMOST SHELL)	4	0	7	5	4	3	7
G 376 G1-23	DO YOU USE OR REFER TO ATOMIC NUMBER (TOTAL NUMBER OF ELECTRONS IN ATOM)	4	0	7	5	4	2	6
G 377 G1-24	DO YOU USE OR REFER TO SYMBOLS ON THE DIODE WHICH INDICATE THE CATHODE END	71	76	64	65	70	71	86
G 378 G1-25	DO YOU NEED TO KNOW WHICH MATERIALS ARE USED IN THE CONSTRUCTION OF DIODES SUCH AS GERMANIUM OR SILICON	16	20	18	18	17	11	19
G 379 G1-26	DO YOU NEED TO KNOW THAT SEMICONDUCTORS HAVE NEGATIVE TEMPERATURE COEFFICIENTS OF RESISTANCE (AS TEMPERATURE	28	29	29	27	27	27	37
G 380 G1-27	DO YOU USE, OR REFER TO PN JUNCTION DIODE	10	6	14	9	10	10	13
G 381 G1-28	DO YOU DETERMINE WHETHER PN JUNCTION DIODES ARE FORWARD BIASED OR REVERSE BIASED WHEN YOU READ OR INTERPRET CHARACTERISTIC CURVES, SUCH AS VOLTAGE - CURRENT	50	54	46	49	48	46	69
G 382 G1-29	DO YOU USE OR REFER TO VALENCE BAND IN SEMICONDUCTOR MATERIALS	4	0	13	6	3	3	6

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

Task	ID	Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
G 383	G1-30	DO YOU USE OR REFER TO FORBIDDEN BAND IN SEMICONDUCTOR MATERIALS	3	0	9	5	2	2	6
G 384	G1-31	DO YOU USE OR REFER TO CONDUCTION BAND IN SEMICONDUCTOR MATERIALS	4	0	9	6	3	4	7
G 385	G1-32	DO YOU USE OR REFER TO COVALENT BONDING IN SEMICONDUCTOR MATERIALS	4	0	11	6	3	3	6
G 386	G1-33	DO YOU USE OR REFER TO ELECTRON-HOLE PAIR CREATED IN SEMICONDUCTOR MATERIALS	5	4	14	4	6	6	7
G 387	G1-34	DO YOU USE OR REFER TO ELECTRON FLOW OR HOLE FLOW IN SEMICONDUCTORS	13	13	16	9	11	14	19
G 388	G1-35	DO YOU USE OR REFER TO DONOR IMPURITY IN SEMICONDUCTORS	5	3	14	7	2	9	
G 389	G1-36	DO YOU USE OR REFER TO ACCEPTOR IMPURITY IN SEMICONDUCTORS	5	3	16	5	4	3	9
G 390	G1-37	DO YOU USE OR REFER TO P-TYPE SEMICONDUCTOR MATERIAL	23	21	29	23	23	24	23
G 391	G1-38	DO YOU USE OR REFER TO N-TYPE SEMICONDUCTOR MATERIAL	23	24	27	22	22	24	23
G 392	G1-39	DO YOU USE OR REFER TO MAJORITY CARRIERS IN SEMICONDUCTORS	6	3	16	7	5	6	7
G 393	G1-40	DO YOU USE OR REFER TO MINORITY CARRIERS IN SEMICONDUCTORS	6	3	16	7	5	7	
G 394	G1-41	DO YOU USE OR REFER TO JUNCTION RECOMBINATION IN SEMICONDUCTORS	5	3	13	7	3	7	
G 395	G1-42	DO YOU USE OR REFER TO DEPLETION REGION IN SEMICONDUCTORS	9	6	18	11	7	7	10
G 396	G1-43	DO YOU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER WIDTH AND DIFFERENCE OF POTENTIAL	7	6	14	9	6	5	6
G 397	G1-44	DO YOU USE OR REFER TO THE 10:1 BACK TO FRONT RESISTANCE RATIO FOR DIODES	54	59	45	53	58	47	73
G 398	G1-45	DO YOU USE OR REFER TO BARRIER HEIGHT IN SEMICONDUCTORS	4	3	7	5	2	3	7
G 399	G1-46	DO YOU USE OR REFER TO DIODE SUBSTITUTION INFORMATION	36	47	30	40	38	31	37
G 400	G1-47	DO YOU USE OR REFER TO MAXIMUM AVERAGE FORWARD CURRENT DIODE RATINGS	15	16	20	15	17	12	20
G 401	G1-48	DO YOU USE OR REFER TO PEAK RECURRENT FORWARD CURRENT DIODE RATINGS	13	16	16	14	14	10	19
G 402	G1-49	DO YOU USE OR REFER TO MAXIMUM SURGE CURRENT DIODE RATINGS	15	19	16	14	17	12	20
G 403	G1-50	DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE DIODE RATINGS	19	23	23	18	22	16	20
G 404	G2-01	DO YOU WORK WITH TRANSISTORS IN YOUR PRESENT JOB.	83	91	82	82	82	83	91
G 405	G2-02	DO YOU INSPECT TRANSISTORS	83	90	75	82	83	83	91
G 406	G2-03	DO YOU REMOVE OR REPLACE TRANSISTORS	84	91	73	83	84	84	94
G 407	G2-04	DO YOU CHECK TRANSISTORS USING AN INSTRUMENT	76	87	79	73	76	73	86
G 408	G2-05	DO YOU USE OR REFER TO EMITTER - BASE (EB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	71	81	75	69	70	67	96
G 409	G2-06	DO YOU USE OR REFER TO COLLECTOR - BASE (CB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	70	81	77	67	70	65	86

TRANSISTORS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

TASK NBRS		DESCRIPTION	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
G 410	G2-07	DO YOU USE OR REFER TO EMITTER - COLLECTOR (EC) RESISTANCE MEASUREMENTS	70	83	77	67	69	67	86
G 411	G2-08	DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE EMITTER - BASE JUNCTION	19	20	23	23	15	19	20
G 412	G2-09	DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE COLLECTOR - BASE JUNCTION	18	20	23	22	15	18	19
G 413	G2-10	DO YOU USE OR REFER TO THE PHYSICAL SIZE OF THE TRANSISTOR STRUCTURE (COLLECTOR, BASE AND EMITTER)	41	51	48	38	37	44	50
G 414	G2-11	DO YOU USE OR REFER TO LEAKAGE CURRENT (ICBO) IN A TRANSISTOR	16	13	25	15	17	17	17
G 415	G2-12	DO YOU USE OR REFER TO TRANSISTOR SCHEMATIC SYMBOLS	82	91	84	81	81	81	91
G 416	G2-13	DO YOU USE OR REFER TO TRANSISTOR NOTATION SUCH AS Q1, Q2, Q3, ETC	82	91	82	81	81	81	91
G 417	G2-14	DO YOU USE OR REFER TO TRANSISTOR SUBSTITUTION INFORMATION	51	64	48	56	54	46	46
G 418	G2-15	DO YOU USE OR REFER TO THE GENERAL RULE THAT THE TRANSISTOR BASE CURRENT IB IS NORMALLY SIGNIFICANTLY	25	23	23	24	25	25	26
G 419	G2-16	DO YOU USE THE INFORMATION THAT THE EFFECT OF EMITTER BASE VOLTAGE ON BASE CURRENT IS THE CONTROLLING FACTOR FOR	34	37	39	33	31	32	40
G 420	G2-17	DO YOU USE THE GENERAL RULE THAT LEAKAGE CURRENT (ICBO) IN A TRANSISTOR INCREASES AS TEMPERATURE INCREASES	17	16	21	15	18	17	20
G 421	G2-18	DO YOU USE OR REFER TO TRANSISTOR CHARACTERISTIC CURVES	10	7	27	10	10	6	14
G 422	G2-19	DO YOU USE OR REFER TO BETA TRANSISTOR GAINS	8	7	9	11	8	7	9
G 423	G2-20	DO YOU USE OR REFER TO ALPHA TRANSISTOR GAINS	8	7	9	9	6	7	10
G 424	G2-21	DO YOU USE OR REFER TO GAMMA TRANSISTOR GAINS	7	7	5	9	6	7	10
G 425	G2-22	DO YOU CALCULATE BETA TRANSISTOR GAINS	3	1	5	5	3	3	4
G 426	G2-23	DO YOU CALCULATE ALPHA TRANSISTOR GAINS	3	1	4	5	2	3	4
G 427	G2-24	DO YOU CALCULATE GAMMA TRANSISTOR GAINS	10	7	7	10	10	6	14
G 428	G3-01	DO YOU WORK WITH TRANSISTOR AMPLIFIERS IN YOUR PRESENT JOB	73	81	71	69	74	71	89
G 429	G3-02	DO YOU INSPECT TRANSISTOR AMPLIFIERS	72	77	68	67	73	73	84
G 430	G3-03	DO YOU ALIGN OR ADJUST TRANSISTOR AMPLIFIERS	61	70	52	55	61	63	69
G 431	G3-04	DO YOU TROUBLESHOOT TO THE AMPLIFIER CIRCUIT LEVEL	70	77	66	65	70	71	79
G 432	G3-05	DO YOU TROUBLESHOOT TO AMPLIFIER COMPONENTS	64	69	61	59	64	63	76
G 433	G3-06	DO YOU REMOVE OR REPLACE THE COMPLETE AMPLIFIER	72	81	63	66	73	74	86
G 434	G3-07	DO YOU REMOVE OR REPLACE AMPLIFIER COMPONENTS	63	69	46	59	65	61	80
G 435	G3-08	DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN BASE	21	14	30	19	21	23	23
G 436	G3-09	DO YOU USE OR REFER TO (COMMON EMITTER) THE COLLECTOR CURRENT WHICH RESULTS FROM A CHANGE IN BASE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN	9	7	14	8	10	12	6

TRANSISTOR AMPLIFIERS

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 18

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
G 437 63-10	DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A CHANGE IN	21	19	29	18	21	29	19
G 438 63-11	DO YOU USE OR REFER TO (COMMON EMITTER), THE CHANGE IN BASE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN	8	4	14	5	9	11	9
G 439 63-12	DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN BASE CURRENT WHICH RESULTS FROM AN INPUT SIGNAL	19	16	30	15	19	22	16
G 440 63-13	DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN	9	4	20	6	10	10	6
G 441 63-14	DO YOU USE THE LOAD-LINE METHOD OF ANALYSIS IN YOUR CIRCUIT ANALYSIS (THIS METHOD REQUIRES YOU TO PLOT A	4	1	7	4	3	4	6
G 442 63-15	DO YOU USE OR REFER TO THE OPERATING POINT Q (QUIESCENT POINT) FOR A TRANSISTOR	9	10	20	6	9	11	11
G 443 63-16	DO YOU CALCULATE THE SPECIFIC QUIESCENT POINT FOR A PARTICULAR TRANSISTOR	3	1	5	3	3	4	7
G 444 63-17	DO YOU MEASURE TRANSISTOR VOLTAGE GAIN USED IN THE COMMON EMITTER CONFIGURATION	38	36	34	36	40	37	49
G 445 63-18	DO YOU MEASURE CURRENT GAIN USED IN THE COMMON EMITTER CONFIGURATION	25	27	29	28	25	23	24
G 446 63-19	DO YOU MEASURE POWER GAIN USED IN THE COMMON EMITTER CONFIGURATION	29	30	25	30	29	29	30
G 447 63-20	DO YOU CALCULATE THE VOLTAGE GAIN FOR SPECIFIC TRAN- SISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE	4	3	4	3	4	4	7
G 448 63-21	DO YOU CALCULATE THE CURRENT GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE	4	3	5	3	5	3	7
G 449 63-22	DO YOU CALCULATE THE POWER GAIN FOR A SPECIFIC TRANSISTOR USING A FORMULA THAT IS, DO YOU MULTIPLY THE	4	3	4	3	4	4	6
G 450 63-23	DO YOU NEED TO KNOW THAT MORE COLLECTOR CURRENT IS GENERATED WITH LESS COLLECTOR VOLTAGE AS TEMPERATURE	8	7	11	6	10	6	11
G 451 63-24	DO YOU COMPUTE THE STATIC OPERATING POINT [Q] OF A TRANSISTOR AT DIFFERENT TEMPERATURES	3	3	5	4	2	4	6
G 452 63-25	DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	31	39	25	26	33	28	39
G 453 63-26	DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH SELF-	32	37	25	26	33	31	40

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
G 454	63-27 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	33	41	25	28	35	33	43
G 455	63-28 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	31	39	30	28	30	29	40
G 456	63-29 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	31	39	30	27	30	29	39
G 457	63-30 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	24	30	20	20	25	20	34
G 458	63-31 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM EMITTER (SWAMPING) RESISTOR STABILIZATION	36	44	30	34	38	31	46
G 459	63-32 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM SELF-BIAS STABILIZATION	38	41	30	34	41	33	47
G 460	63-33 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THERMISTOR STABILIZATION	38	43	29	35	40	35	47
G 461	63-34 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM FORWARD BIAS DIODE STABILIZATION	35	41	29	35	38	30	46
G 462	63-35 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM REVERSE BIAS DIODE STABILIZATION	35	41	29	34	37	30	43
G 463	63-36 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM DOUBLE DIODE STABILIZATION	27	33	20	25	30	22	36
G 464	63-37 DO YOU IDENTIFY AMPLITUDE DISTORTION FOR TRANSISTOR CIRCUITS	42	53	41	39	37	43	50
G 465	63-38 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF AMPLITUDE DISTORTION	44	47	45	44	40	44	53
G 466	63-39 DO YOU IDENTIFY FREQUENCY DISTORTION FOR TRANSISTOR CIRCUITS	36	41	39	36	34	36	40
G 467	63-40 DO YOU IDENTIFY PHASE DISTORTION FOR TRANSISTOR CIRCUITS	23	27	29	25	23	19	21
G 468	63-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF PHASE DISTORTION	23	26	29	25	23	18	24
G 469	63-42 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF FREQUENCY DISTORTION	33	39	38	34	31	32	36
G 470	63-43 DO YOU NEED TO KNOW THE DEGENERATIVE EFFECTS ON THE CIRCUIT CAUSED BY CHANGING EMITTER RESISTANCE FOR AMPLIFIERS	15	13	25	19	13	14	20
G 471	63-44 DO YOU DETERMINE THE CLASS OF OPERATION FOR AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS	20	23	25	18	19	20	20
G 472	63-45 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS	23	39	23	28	22	14	20
G 473	63-46 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS	60	73	50	57	59	54	71
G 474	63-47 DO YOU TROUBLESHOOT OR REPAIR COMPLEMENTARY SYMMETRY AMPLIFIERS	31	33	29	29	34	28	37
G 475	63-48 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS	32	33	30	28	37	26	46

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 20

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

	DY-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
G 476 63-49	DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS	38	41	34	32	43	33	53
H 477 H1-01	DO YOU USE OR REFER TO VARACTORS	46	44	54	50	47	40	49
H 478 H1-02	DO YOU USE OR REFER TO TUNNEL DIODES	37	27	39	45	34	30	47
H 479 H1-03	DO YOU USE OR REFER TO FIELD EFFECT TRANSISTORS (FET)	40	37	41	41	44	34	50
H 480 H1-04	DO YOU USE OR REFER TO UNIJUNCTION TRANSISTORS	41	27	41	43	43	38	51
H 481 H1-05	DO YOU USE OR REFER TO ZENER DIODES	74	71	72	72	68	76	89
H 482 H1-06	DO YOU USE OR REFER TO INTEGRATED CIRCUITS	57	64	59	59	50	57	71
H 483 H2-01	IN YOUR PRESENT JOB, DO YOU WORK WITH POWER SUPPLIES	86	86	86	78	89	82	93
H 484 H2-02	DO YOU INSPECT POWER SUPPLIES	87	93	77	79	91	86	97
H 485 H2-03	DO YOU CLEAN POWER SUPPLIES	80	86	68	75	87	75	87
H 486 H2-04	DO YOU ALIGN OR ADJUST POWER SUPPLIES	76	83	73	71	78	76	81
H 487 H2-05	DO YOU TROUBLESHOOT TO POWER SUPPLY CIRCUIT LEVEL	81	90	80	74	85	78	91
H 488 H2-06	DO YOU TROUBLESHOOT TO POWER SUPPLY COMPONENTS	79	84	77	71	84	76	91
H 489 H2-07	DO YOU REMOVE OR REPLACE COMPLETE POWER SUPPLIES	86	91	79	79	90	84	91
H 490 H2-08	DO YOU REMOVE OR REPLACE POWER SUPPLY COMPONENTS	79	86	79	79	84	84	89
H 491 H2-09	DO YOU WORK WITH HALF-WAVE RECTIFIERS	79	69	70	72	77	77	73
H 492 H2-10	DO YOU WORK WITH FULL-WAVE RECTIFIERS OTHER THAN BRIDGE RECTIFIERS	68	70	70	67	68	65	77
H 493 H2-11	DO YOU WORK WITH BRIDGE RECTIFIERS	72	81	73	67	75	66	81
H 494 H2-12	DO YOU WORK WITH THREE-PHASE RECTIFIERS	63	64	63	60	63	61	76
H 495 H2-13	DO YOU USE OR REFER TO INPUT VOLTAGE	77	81	73	73	79	73	86
H 496 H2-14	DO YOU USE OR REFER TO INPUT FREQUENCY	54	51	57	52	54	52	63
H 497 H2-15	DO YOU USE OR REFER TO PEAK OUTPUT VOLTAGE	58	66	59	61	58	54	57
H 498 H2-16	DO YOU USE OR REFER TO AVERAGE OUTPUT VOLTAGE	62	66	66	62	63	56	66
H 499 H2-17	DO YOU USE OR REFER TO RIPPLE AMPLITUDE	45	44	36	47	44	43	61
H 500 H2-18	DO YOU USE OR REFER TO RIPPLE FREQUENCY	36	30	30	41	34	40	40
H 501 H2-19	DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE	28	23	32	31	30	24	27
H 502 H2-20	DO YOU USE OR REFER TO SHAPE OF OUTPUT WAVEFORMS	51	51	46	55	50	50	47
H 503 H2-21	DO YOU USE OR REFER TO EFFECTIVE OUTPUT VOLTAGE	64	66	64	63	65	60	67
H 504 H2-22	DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE	68	70	70	62	69	68	74
H 505 H2-23	DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE FILTERS	66	64	68	61	67	68	74
H 506 H2-24	DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE INPUT L-TYPE FILTERS	57	59	63	53	59	55	70
H 507 H2-25	DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE INPUT L-TYPE FILTERS	56	57	59	53	57	54	69
H 508 H2-26	DO YOU WORK WITH CIRCUITS WHICH EMPLOY LC PI-TYPE FILTERS	52	53	57	48	56	47	63
H 509 H2-27	DO YOU WORK WITH CIRCUITS WHICH EMPLOY RC PI-TYPE FILTERS	51	51	55	48	54	47	61
H 510 H2-28	DO YOU WORK WITH CIRCUITS WHICH EMPLOY DON'T REMEMBER WHICH TYPE OF FILTER	32	33	25	29	34	33	29
H 511 H2-29	DO YOU HAVE THE OPTION OF REPLACING ONE TYPE OF FILTER WITH A DIFFERENT TYPE FILTER	7	6	4	6	6	8	13
H 512 H3-01	DO YOU WORK WITH OSCILLATORS IN YOUR PRESENT JOB	76	80	70	68	63	72	91

SOLID-STATE SPECIAL PURPOSE DEVICES

POWER SUPPLIES

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

TASK			Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
M	513	H3-02	DO YOU INSPECT OSCILLATORS	74	85	64	64	80	73	86
M	514	H3-03	DO YOU ALIGN OR ADJUST OSCILLATORS	72	73	63	60	81	71	84
M	515	H3-04	DO YOU REMOVE OR REPLACE COMPLETE OSCILLATORS	71	76	57	51	67	67	84
M	516	H3-05	DO YOU REMOVE OR REPLACE OSCILLATOR COMPONENTS	64	70	50	63	68	64	84
M	517	H3-06	DO YOU TROUBLESHOOT TO OSCILLATOR CIRCUIT LEVEL	70	74	64	60	77	68	86
M	518	H3-07	DO YOU TROUBLESHOOT TO OSCILLATOR COMPONENTS	63	67	59	50	67	65	81
M	519	H3-08	DO YOU USE OR REFER TO FEEDBACK	57	57	52	53	61	53	71
M	520	H3-09	DO YOU USE OR REFER TO FREQUENCY DETERMINING DEVICES (FDD)	56	63	50	51	60	53	67
M	521	H3-10	DO YOU USE OR REFER TO AMPLITUDE STABILITY	45	39	48	46	48	40	60
M	522	H3-11	DO YOU USE OR REFER TO FREQUENCY STABILITY	65	71	59	56	70	64	71
M	523	H3-12	DO YOU USE OR REFER TO DAMPING	37	36	38	34	43	31	41
M	524	H3-13	DO YOU USE OR REFER TO REGENERATIVE FEEDBACK	48	49	48	44	54	43	49
M	525	H3-14	DO YOU USE OR REFER TO PIEZOELECTRIC EFFECT	20	26	20	19	20	19	29
M	526	H3-15	DO YOU USE OR REFER TO CRITICAL DAMPING	18	20	18	18	19	19	20
M	527	H3-16	DO YOU USE OR REFER TO UNDER DAMPING	20	21	20	20	21	19	20
M	528	H3-17	DO YOU USE OR REFER TO OVER DAMPING	20	21	20	22	21	17	19
M	529	H3-18	DO YOU WORK WITH OSCILLATORS WHICH USE LC TANK CIRCUITS AS FDD	49	56	52	47	48	48	64
M	530	H3-19	DO YOU WORK WITH OSCILLATORS WHICH USE RC NETWORKS AS FDD	55	56	55	50	58	54	64
M	531	H3-20	DO YOU WORK WITH OSCILLATORS WHICH USE CRYSTALS AS FDD	68	67	63	59	72	68	80
M	532	H3-21	DO YOU WORK WITH OSCILLATORS WHICH USE DON'T REMEMBER WHICH TYPE OF FDD	18	17	18	16	23	15	14
M	533	H3-22	DO YOU WORK WITH SERIES HARTLEY SINUSOIDAL OSCILLATORS	38	30	38	37	41	34	50
M	534	H3-23	DO YOU WORK WITH SHUNT HARTLEY SINUSOIDAL OSCILLATORS	37	30	39	34	41	33	50
M	535	H3-24	DO YOU WORK WITH COLPITTS SINUSOIDAL OSCILLATORS	40	31	41	38	43	37	51
M	536	H3-25	DO YOU WORK WITH CLAPP SINUSOIDAL OSCILLATORS	21	16	20	26	26	19	24
M	537	H3-26	DO YOU WORK WITH BUTLER SINUSOIDAL OSCILLATORS	26	24	27	26	27	23	33
M	538	H3-27	DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF OSCILLATORS	36	47	29	29	41	35	33
I	539	11-01	DO YOU WORK WITH MULTIVIBRATORS IN YOUR PRESENT JOB	42	37	38	37	45	38	53
I	540	11-02	DO YOU INSPECT WAVE GENERATING OR SHAPING CIRCUITS	32	26	30	24	37	30	41
I	541	11-03	DO YOU ALIGN OR ADJUST WAVE GENERATING OR SHAPING CIRCUITS	29	21	27	24	35	26	39
I	542	11-04	DO YOU CALIBRATE WAVE GENERATING OR SHAPING CIRCUITS	22	14	21	18	25	21	30
I	543	11-05	DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS	32	27	32	26	37	29	40
I	544	11-06	DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUIT COMPONENTS	30	17	29	26	35	26	40
I	545	11-07	DO YOU REMOVE OR REPLACE COMPLETE WAVE GENERATING OR SHAPING CIRCUITS	32	30	27	29	34	28	40
I	546	11-08	DO YOU REMOVE OR REPLACE WAVE GENERATING OR SHAPING COMPONENTS	28	16	23	25	33	29	40
I	547	11-09	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN LC TANK CIRCUITS	29	16	34	23	27	27	43

OSCILLATORS

MULTIVIBRATORS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

			SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007	
S48	11-10	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN RC NETWORKS	30	17	34	24	37	28	41	
S49	11-11	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN CRYSTALS	29	19	32	24	35	27	37	
S50	11-12	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN DON'T REMEMBER WHICH TYPE OF FOD	13	16	7	13	12	12	10	
S51	11-13	DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN ASTABLE MULTIVIBRATORS	26	21	29	22	27	24	31	
S52	11-14	DO YOU WORK WITH MONOSTABLE MULTIVIBRATORS	26	21	34	23	31	21	30	
S53	11-15	DO YOU WORK WITH BISTABLE MULTIVIBRATORS	28	23	32	29	32	29	33	
S54	11-16	DO YOU WORK WITH DON'T REMEMBER WHICH TYPE MULTIVIBRATORS	13	11	0	12	17	12	16	MULTIVIBRATORS
S55	12-01	DO YOU WORK WITH LIMITERS OR CLAMPERS IN YOUR PRESENT JOB	57	54	50	50	57	57	74	
S56	12-02	DO YOU WORK WITH SERIES DIODE LIMITERS	37	23	36	35	40	35	50	
S57	12-03	DO YOU WORK WITH SHUNT DIODE LIMITERS	32	23	32	30	35	28	43	
S58	12-04	DO YOU WORK WITH LIMITERS WITH BIAS	28	14	34	27	33	26	33	
S59	12-05	DO YOU WORK WITH ZENER DIODE LIMITERS	34	30	36	34	40	33	49	
S60	12-06	DO YOU WORK WITH TRANSISTOR LIMITERS	34	23	34	31	36	33	44	
S61	12-07	DO YOU WORK WITH DON'T KNOW WHICH TYPE OF LIMITERS	23	30	16	22	22	23	26	
S62	12-08	DO YOU WORK WITH BASIC DIODE CLAMPING CIRCUITS	25	16	29	26	27	21	36	
S63	12-09	DO YOU WORK WITH DIODE CLAMPING CIRCUITS WITH BIAS	22	13	25	24	25	19	27	
S64	12-10	DO YOU WORK WITH DON'T KNOW WHICH TYPE OF CLAMPING CIRCUIT	24	27	16	21	24	24	31	LIMITERS AND CLAMPERS
S65	13-01	IN YOUR PRESENT JOB, DO YOU WORK ON EQUIPMENT WHICH CONTAINS ELECTRON TUBES	83	84	79	76	87	80	96	
S66	13-02	DO YOU CHECK ELECTRON TUBES TO SEE IF THEY ARE GOOD	78	89	75	71	82	71	87	
S67	13-03	DO YOU USE TUBE TESTERS TO CHECK ELECTRON TUBES	71	84	77	65	78	59	74	
S68	13-04	DO YOU USE MULTIMETERS TO CHECK ELECTRON TUBES	51	46	52	41	51	56	59	
S69	13-05	DO YOU USE SCOPES TO CHECK ELECTRON TUBES	35	37	43	34	30	36	40	
S70	13-06	DO YOU USE SUBSTITUTION TO CHECK ELECTRON TUBES	80	84	77	72	85	75	90	
S71	13-07	DO YOU USE OR REFER TO CUTOFF	29	24	39	28	27	26	43	
S72	13-08	DO YOU USE OR REFER TO PEAK INVERSE VOLTAGE RATING	14	10	20	15	12	15	10	
S73	13-09	DO YOU USE OR REFER TO PEAK CURRENT RATING	17	13	20	18	17	17	16	
S74	13-10	DO YOU USE OR REFER TO TRANSIT TIME	16	16	21	17	15	13	20	
S75	13-11	DO YOU USE OR REFER TO PLATE DISSIPATION RATING	14	11	20	17	13	15	13	
S76	13-12	DO YOU USE OR REFER TO SATURATION	28	30	39	28	24	25	40	
S77	13-13	DO YOU USE OR REFER TO DC PLATE RESISTANCE	23	20	29	23	21	25	24	ELECTRON TUBES
S78	13-14	DO YOU COMPUTE ACTUAL VALUES OF THE DC PLATE RESISTANCE FOR ELECTRON TUBES	7	4	9	6	6	8	6	
S79	13-15	DO YOU USE OR REFER TO PLATE VOLTAGE	75	80	73	65	79	72	91	
S80	13-16	DO YOU USE OR REFER TO PLATE CURRENT	57	57	64	52	64	48	70	
S81	13-17	DO YOU USE OR REFER TO GRID VOLTAGE	74	80	73	63	76	71	71	
S82	13-18	DO YOU USE OR REFER TO GRID CURRENT	56	57	66	51	62	48	70	
S83	13-19	DO YOU USE OR REFER TO CATHODE VOLTAGE	72	74	71	62	75	70	70	
S84	13-20	DO YOU USE OR REFER TO CATHODE CURRENT	53	59	66	69	58	47	69	
S85	13-21	DO YOU USE OR REFER TO THE TRIODE AMPLIFICATION FACTOR (THE AMPLIFICATION FACTOR FOR TRIODES IS DEFINED AS	12	6	21	9	12	12	16	

PCT MBRS PERF TASKS- DAFSC/MAJCON GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 23

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DV-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
586 13-22 DO YOU CALCULATE ACTUAL VALUES OF TRIODE AMPLIFICATION FACTORS	4	0	4	4	3	5	7
587 13-23 DO YOU USE OR REFER TO MULTIGRID (TETRODE, PENTODE, ETC.) AMPLIFICATION FACTORS	13	11	20	11	10	14	17
588 13-24 DO YOU USE OR REFER TO ELECTRON TUBE TRANSCONDUCTANCE (G, WHICH IS MEASURED IN MHOS)	8	4	14	8	7	5	11
589 13-25 DO YOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE TRANSCONDUCTANCES	4	1	5	5	3	5	6
590 13-26 DO YOU USE OR REFER TO THE ELECTRON TUBE PARAMETER CALLED AC PLATE RESISTANCE	6	1	9	6	6	6	10
591 13-27 DO YOU CALCULATE ACTUAL VALUES OF AC PLATE RESISTANCE	5	1	4	5	6	3	7
592 13-28 DO YOU USE OR REFER TO ELECTRON TUBE INTERELECTRODE CAPACITANCE	21	13	30	17	20	19	31
593 13-29 DO YOU USE OR REFER TO CHARACTERISTIC CURVES IN YOUR WORK WITH ELECTRON TUBES	7	1	13	6	8	7	9
594 13-30 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE VOLTAGE FOR A SPECIFIED BIAS	9	3	18	8	7	9	10
595 13-31 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE CURRENT FOR A SPECIFIED BIAS	8	3	18	7	7	9	9
596 13-32 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR CUTOFF	10	7	18	9	10	9	9
597 13-33 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR SATURATION	9	6	18	9	8	10	10
598 13-34 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER GAIN	44	53	48	42	45	37	54
599 13-35 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER EFFICIENCY	30	27	38	29	29	24	36
600 13-36 DO YOU USE TEST TUBE CHECKERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	52	57	61	46	56	43	57
601 13-37 DO YOU USE MULTIMETERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	35	36	34	30	34	41	39
602 13-38 DO YOU USE OSCILLOSCOPES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	33	31	43	31	30	36	33
603 13-39 DO YOU USE CHARACTERISTIC CURVES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	6	0	13	6	7	6	10
604 13-40 DO YOU CALCULATE ANY ELECTRON TUBE CAPACITANCES SUCH AS INPUT CAPACITANCE	4	1	2	5	3	5	7
605 13-41 DO YOU USE OR REFER TO TUBE SOCKET NOTATION	67	79	64	56	71	62	81
606 13-42 DO YOU USE OR REFER TO PIN NUMBERING SYSTEMS	75	84	70	64	79	71	96
607 13-43 DO YOU USE OR REFER TO THE TYPE OF MATERIAL OR THE OPERATING TEMPERATURE OF THE EMITTING SURFACE IN THE	7	6	5	6	6	6	10
608 13-44 DO YOU USE OR REFER TO TUBE SUBSTITUTION MATERIAL SUCH AS MANUALS OR CHARTS	39	53	41	33	41	34	47
609 J1-01 DO YOU WORK WITH ELECTRON TUBE AMPLIFIERS OR CIRCUITS IN YOUR PRESENT JOB	72	79	68	61	77	67	91
610 J1-02 DO YOU DETERMINE THE CLASS OF OPERATION FOR ELECTRON TUBE AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER	19	20	27	14	22	15	20

ELECTRON TUBE AMPLIFIERS AND CIRCUITS

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 24

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
J 611 J1-03	DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS	25	33	20	25	24	17	37
J 612 J1-04	DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS	50	51	50	43	51	44	71
J 613 J1-05	DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS	28	29	34	25	51	29	40
J 614 J1-06	DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS	30	29	32	25	35	25	43
J 615 J1-07	DO YOU TROUBLESHOOT OR REPAIR DON'T KNOW WHICH TYPE OF AMPLIFIER	28	29	14	24	32	28	31
J 616 J2-01	DO YOU WORK WITH GAS TUBES (HOT CATHODE OR COLD CATHODE)	39	46	32	33	44	35	44
J 617 J2-02	DO YOU WORK WITH CATHODE-RAY TUBES	26	39	21	27	21	28	27
J 618 J2-03	DO YOU USE OR REFER TO THE CHARACTERISTICS OF BEAM POWER TUBES	6	6	5	4	5	6	11
J 619 J2-04	DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH BEAM POWER TUBES ARE USED	9	9	9	7	9	8	14
J 620 J2-05	DO YOU USE OR REFER TO THE CHARACTERISTICS OF THYRATRONS	19	7	23	18	24	16	14
J 621 J2-06	DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH THYRATRONS ARE USED	26	24	21	23	37	20	20
J 622 J2-07	DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTRON GUNS OF CATHODE-RAY TUBES (CRT)	11	11	11	12	10	10	10
J 623 J2-08	DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROMAGNETIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES	10	13	11	11	9	10	10
J 624 J2-09	DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROSTATIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES	10	14	11	11	8	11	10
J 625 J2-10	DO YOU USE OR REFER TO PHOSPHOR SCREENS	16	26	16	18	13	18	11
J 626 J2-11	DO YOU USE OR REFER TO AQUADAG COATINGS	9	9	11	12	6	11	4
J 627 J2-12	DO YOU USE OR REFER TO ELECTRON OPTICS	4	3	7	5	3	5	4
J 628 J2-13	DO YOU USE OR REFER TO PERSISTENCE	7	6	13	6	6	10	7
J 629 J2-14	DO YOU USE OR REFER TO DECAY TIMES	7	3	13	8	6	6	6
J 630 J2-15	DO YOU USE OR REFER TO FLUORESCENCE	9	6	16	16	8	6	6
J 631 J2-16	DO YOU USE OR REFER TO PHOSPHORESCENCE	10	6	18	12	8	12	6
J 632 J3-01	DO YOU WORK ON TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	91	94	88	87	92	91	97
J 633 J3-02	DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS	73	61	68	68	74	71	93
J 634 J3-03	DO YOU PERFORM TASKS ON FREQUENCY MIXERS	81	84	75	72	83	81	94
J 635 J3-04	DO YOU USE OR REFER TO THE HETERODYNING OF SIGNALS IN YOUR WORK WITH TRANSMIT OR RECEIVE SYSTEMS	66	60	63	61	70	65	80
J 636 J3-05	DO YOU PERFORM TASKS ON REACTANCE MODULATORS	45	39	48	43	51	44	44
J 637 J3-06	DO YOU PERFORM TASKS ON MODULATED OSCILLATORS	58	59	61	54	62	54	66
K 638 K1-01	DO YOU WORK ON AM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	85	87	77	82	90	82	89
K 639 K1-02	DO YOU INSPECT AN TRANSMIT OR RECEIVE SYSTEMS	85	89	73	82	90	81	91
K 640 K1-03	DO YOU CLEAN AM TRANSMIT OR RECEIVE SYSTEMS	81	87	68	77	87	79	89
K 641 K1-04	DO YOU ALIGN OR ADJUST AM TRANSMIT OR RECEIVE SYSTEMS	82	87	71	77	87	80	89

SPECIAL PURPOSE ELECTRON TUBES

HETERODYNING, MODULATION, AND DEMODULATION

AM SYSTEMS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
K 642	KI-05 DO YOU TROUBLESHOOT TO AN TRANSMIT OR RECEIVE SYSTEMS	85	90	82	82	90	80	90
K 643	KI-06 DO YOU TROUBLESHOOT TO AN TRANSMIT OR RECEIVE COMPONENTS	81	89	75	77	86	76	89
K 644	KI-07 DO YOU REMOVE OR REPLACE AN TRANSMIT OR RECEIVE SYSTEMS	84	90	77	82	89	81	89
K 645	KI-08 DO YOU REMOVE OR REPLACE AN TRANSMIT OR RECEIVE COMPONENTS	82	89	71	78	86	78	89
K 646	KI-09 DO YOU PERFORM TASKS ON RF OSCILLATORS	75	86	68	69	79	71	90
K 647	KI-10 DO YOU PERFORM TASKS ON RF AMPLIFIERS	77	87	71	70	81	72	89
K 648	KI-11 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS	77	89	73	70	81	74	89
K 649	KI-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS	77	89	71	70	81	73	89
K 650	KI-13 DO YOU PERFORM TASKS ON LOCAL OSCILLATORS	72	79	66	66	76	66	90
K 651	KI-14 DO YOU PERFORM TASKS ON IF AMPLIFIERS	76	89	71	69	76	72	89
K 652	KI-15 DO YOU PERFORM TASKS ON DETECTORS	74	84	66	68	78	67	90
K 653	KI-16 DO YOU PERFORM TASKS ON DON'T REMEMBER WHICH AM STAGE	17	14	13	16	18	19	13
K 654	KI-17 DO YOU USE OR REFER TO AMPLITUDE STABILIZATION IN TRANSMITTERS	48	39	46	49	49	47	64
K 655	KI-18 DO YOU USE OR REFER TO FREQUENCY STABILIZATION IN TRANSMITTERS	70	69	64	65	76	65	80
K 656	KI-19 DO YOU USE OR REFER TO SENSITIVITY OF RECEIVERS	83	89	79	78	89	79	90
K 657	KI-20 DO YOU USE OR REFER TO SELECTIVITY OF RECEIVERS	78	81	73	73	84	76	87
K 658	KI-21 DO YOU USE OR REFER TO 2ND HARMONIC DISTORTION	42	37	48	38	47	37	53
K 659	KI-22 DO YOU USE OR REFER TO BANDPASS DISTORTION	44	36	52	45	49	38	56
K 660	KI-23 DO YOU USE OR REFER TO SQUARE LAW DISTORTION	16	11	16	17	15	19	14
K 661	KI-24 DO YOU USE OR REFER TO CO-CHANNEL INTERFERENCE	32	18	38	34	32	29	47
K 662	KI-25 DO YOU USE OR REFER TO IMAGE FREQUENCIES IN RECEIVERS	45	30	52	44	51	37	60
K 663	KI-26 DO YOU USE OR REFER TO SIGNAL TO IMAGE RATIOS OR IMAGE REJECTION RATIOS	36	29	43	36	40	29	49
K 664	KI-27 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AN TRANSMITTER SCHEMATIC DIAGRAMS	77	84	73	71	80	73	89
K 665	KI-28 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AN RECEIVER SCHEMATIC DIAGRAMS	77	84	75	71	81	72	89
K 666	K2-01 DO YOU WORK WITH FM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	33	26	52	26	27	43	23
K 667	K2-02 DO YOU INSPECT FM TRANSMIT OR RECEIVE SYSTEMS	32	23	48	29	26	43	21
K 668	K2-03 DO YOU CLEAN FM TRANSMIT OR RECEIVE SYSTEMS	30	17	41	24	25	41	20
K 669	K2-04 DO YOU ALIGN FM TRANSMIT OR RECEIVE SYSTEMS	28	13	46	20	25	38	20
K 670	K2-05 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE SYSTEMS	31	20	52	25	25	42	20
K 671	K2-06 DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE COMPONENTS	29	14	45	20	25	37	20
K 672	K2-07 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS	31	23	46	25	26	40	20
K 673	K2-08 DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE COMPONENTS	29	16	41	22	25	36	19
K 674	K2-09 DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS	26	10	45	18	24	35	19
K 675	K2-10 DO YOU PERFORM TASKS ON FREQUENCY MULTIPLIERS	26	13	45	17	24	34	19

FM SYSTEMS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

Task	Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
K 676	K2-11 DO YOU PERFORM TASKS ON DRIVERS (INTERMEDIATE AMPLIFIERS)	26	11	43	18	24	35	19
K 677	K2-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS	26	7	45	18	24	36	19
K 678	K2-13 DO YOU PERFORM TASKS ON RF AMPLIFIERS	27	13	45	18	23	37	19
K 679	K2-14 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS	26	10	45	18	23	34	19
K 680	K2-15 DO YOU PERFORM TASKS ON IF AMPLIFIERS	26	13	45	18	23	37	19
K 681	K2-16 DO YOU PERFORM TASKS ON LIMITERS	25	9	45	18	23	32	19
K 682	K2-17 DO YOU PERFORM TASKS ON FREQUENCY DISCRIMINATORS	25	9	43	18	23	33	17
K 683	K2-18 DO YOU PERFORM TASKS ON CURRENT PATHS THROUGH	26	4	48	18	23	30	20
K 684	K2-19 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FN TRANSMITTERS	26	4	48	18	23	30	20
K 685	K3-01 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FN RECEIVERS	27	13	48	18	24	37	19
K 685	K3-01 DO YOU CONVERT DECIMAL (BASE 10) NUMBERS TO OCTAL (BASE 8) NUMBERS	7	3	18	5	8	10	10
K 686	K3-02 DO YOU CONVERT DECIMAL NUMBERS TO BINARY (BASE 2) NUMBERS	21	31	25	15	13	28	39
K 687	K3-03 DO YOU CONVERT OCTAL NUMBERS TO DECIMAL NUMBERS	5	4	20	5	6	4	6
K 688	K3-04 DO YOU CONVERT OCTAL NUMBERS TO BINARY NUMBERS	5	3	20	4	6	4	6
K 689	K3-05 DO YOU CONVERT BINARY NUMBERS TO DECIMAL NUMBERS	21	33	30	15	13	26	37
K 690	K3-06 DO YOU CONVERT BINARY NUMBERS TO OCTAL NUMBERS	5	5	20	5	5	6	6
K 691	K3-07 DO YOU ADD BINARY NUMBERS TO GET A SUM	15	17	25	13	11	16	26
K 692	K3-08 DO YOU SUBTRACT BINARY NUMBERS USING THE END-AROUND-CARRY METHOD	8	4	18	8	9	7	11
K 693	K3-09 DO YOU SUBTRACT BINARY NUMBERS USING THE DIRECT SUBTRACTION METHOD	11	9	25	12	11	8	13
K 694	K3-10 DO YOU ADD OCTAL NUMBERS TO GET A SUM	5	3	18	4	6	5	4
L 695	L1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO LOGIC FUNCTIONS	18	14	23	14	20	15	26
L 696	L1-02 DO YOU CONSTRUCT TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES	7	0	14	6	10	7	6
L 697	L1-03 DO YOU CONSTRUCT TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES	7	0	14	6	10	7	6
L 698	L1-04 DO YOU CONSTRUCT TRUTH TABLES FOR AND OR OR LOGIC SYMBOLS WITH STATE INDICATORS	7	0	14	6	10	7	4
L 699	L1-05 DO YOU CONSTRUCT TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS OR GATES	7	0	14	6	9	7	4
L 700	L1-06 DO YOU USE OR REFER TO TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES	10	3	16	9	13	9	14
L 701	L1-07 DO YOU USE OR REFER TO TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES	10	1	16	9	13	9	16
L 702	L1-08 DO YOU USE OR REFER TO TRUTH TABLES FOR AND OR OR LOGIC SYMBOLS WITH STATE INDICATORS	10	1	14	8	12	8	16
L 703	L1-09 DO YOU USE OR REFER TO TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS	10	3	14	8	13	9	11
L 704	L1-10 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR AND GATES	14	10	20	12	17	10	20
L 705	L1-11 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR OR GATES	14	10	20	12	17	10	21
L 706	L1-12 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR NAND OR NOR GATES	14	10	20	12	17	10	20

NUMBERING SYSTEMS

LOGIC FUNCTIONS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
707	L1-13 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR EXCLUSIVE OR GATES	13	9	20	12	17	10	21
708	L2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO BOOLEAN EQUATIONS, LOGIC DIAGRAMS, OR LOGIC	4	7	2	2	5	1	14
709	L2-02 DO YOU DRAW LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DCTL) CIRCUITS	4	0	11	3	7	4	3
710	L2-03 DO YOU CONSTRUCT TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS	4	0	7	3	5	3	3
711	L2-04 DO YOU DRAW LOGIC DIAGRAMS FROM GIVEN BOOLEAN EQUATIONS	5	1	14	3	6	5	4
712	L2-05 DO YOU MEASURE INPUTS OR OUTPUTS OF LOGIC GATES	12	9	14	11	15	9	16
713	L2-06 DO YOU DEVELOP OR ANALYZE BOOLEAN EQUATIONS IN THE PROCESS OF TROUBLESHOOTING DIGITAL CIRCUITS	6	6	11	5	9	5	7
714	L2-07 DO YOU ANALYZE LOGIC CIRCUITS BY USING BOOLEAN ALGEBRA	6	4	13	6	8	6	6
715	L2-08 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DCTL) CIRCUIT GATES	8	6	9	7	10	5	13
716	L2-09 DO YOU USE OR REFER TO TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS	4	0	7	5	6	4	3
717	L2-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS CONSISTING OF MORE THAN ONE GATE	10	9	14	8	14	7	16
718	L2-11 DO YOU COMPUTE SUM AND CARRY EXPRESSIONS FOR SERIAL HALF OR FULL ADDER LOGIC DIAGRAMS	5	0	7	4	7	4	6
719	L2-12 DO YOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER LOGIC DIAGRAMS	7	1	11	5	10	5	10
720	L2-13 DO YOU WORK WITH ASTABLE (FREE RUNNING) MULTIVIBRATORS	13	10	18	10	16	11	20
721	L2-14 DO YOU WORK WITH BISTABLE (FLIP-FLOP) MULTIVIBRATORS	14	11	20	10	16	11	20
722	L2-15 DO YOU WORK WITH MONOSTABLE (ONE-SHOT) MULTIVIBRATORS	13	10	18	10	16	11	16
723	L2-16 DO YOU USE OR REFER TO FLIP-FLOP MULTIVIBRATOR SYMBOLS	13	11	20	11	15	10	16
724	L2-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIBRATOR SYMBOLS	12	10	18	10	14	9	14
725	L2-18 DO YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS	12	11	18	11	15	9	17
726	L2-19 DO YOU USE OR REFER TO FLIP-FLOP TRUTH TABLES	8	7	14	8	9	7	11
727	L2-20 DO YOU USE OR REFER TO COMPLEMENTED FLIP-FLOP SYMBOLS	10	9	16	9	12	6	16
728	L2-21 DO YOU USE OR REFER TO COMPLEMENTING FLIP-FLOP LOGIC SYMBOLS	10	9	16	9	12	6	17
729	L2-22 DO YOU MEASURE OUTPUT WAVESHAPES OF LOGIC CIRCUITS	11	3	14	9	15	8	16
730	L2-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP	9	3	13	8	13	7	14
731	L2-24 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-FLOP SCHEMATIC DIAGRAMS	9	3	13	8	12	6	11
732	L2-25 DO YOU CONSTRUCT TRUTH TABLES FOR J-K FLIP-FLOP LOGIC SYMBOLS	5	1	11	5	7	3	6

BOOLEAN EQUATIONS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK			SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
L 733	L3-01	DO YOU WORK WITH DIGITAL COUNTERS IN YOUR PRESENT JOB	19	23	20	18	20	17	14
L 734	L3-02	DO YOU USE OR REFER TO UP-COUNTERS	17	21	16	17	18	16	16
L 735	L3-03	DO YOU USE OR REFER TO DOWN-COUNTERS	15	19	18	14	17	13	14
L 736	L3-04	DO YOU USE OR REFER TO SERIAL COUNTERS	14	14	16	11	18	12	16
L 737	L3-05	DO YOU USE OR REFER TO PARALLEL COUNTERS	11	6	14	11	14	12	13
L 738	L3-06	DO YOU USE OR REFER TO RING COUNTERS	6	3	11	6	8	5	7
L 739	L3-07	DO YOU USE OR REFER TO DECADE COUNTERS	9	4	13	6	10	6	10
L 740	L3-08	DO YOU USE OR REFER TO COUNT DETECT CIRCUITS	9	6	14	8	13	6	10
L 741	L3-09	DO YOU USE OR REFER TO DOWN CLOCKS	13	9	12	12	16	10	14
L 742	L3-10	DO YOU USE OR REFER TO UP CLOCKS	13	13	16	9	16	10	14
L 743	L3-11	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	10	9	13	9	14	7	13
L 744	L3-12	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS	10	10	14	8	14	7	13
L 745	L3-13	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF DECADE COUNTERS	7	4	11	6	10	5	6
L 746	L3-14	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF RING COUNTERS	5	1	11	5	8	5	7
L 747	L3-15	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER	9	4	16	6	15	7	11
L 748	L3-16	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	11	10	14	7	17	8	13
L 749	L3-17	DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF COUNTERS	8	6	11	5	11	6	11
L 750	L3-18	DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	8	3	14	5	12	7	11
L 751	L3-19	DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENT-	7	4	13	4	12	5	11
L 752	L3-20	DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE	7	3	13	3	12	5	11
L 753	L3-21	DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR OTHER TYPES OF COUNTERS	6	4	13	3	9	6	9
L 754	L3-22	DO YOU CONSTRUCT TRUTH TABLES FROM LOGIC DIAGRAMS OF DECADE COUNTERS	3	0	9	3	4	3	4
L 755	L3-23	DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP IN RING COUNTERS FOR SPECIFIC INPUT PULSES	5	1	11	5	6	5	7
L 756	L3-24	DO YOU DETERMINE THE APPROPRIATE AND GATE NECESSARY IN COUNT DETECT CIRCUITS TO INDICATE A REQUIRED COUNT	7	1	11	4	11	6	10
M 757	M1-01	DO YOU WORK WITH SAWTOOTH WAVE GENERATORS	25	10	30	25	29	24	27
M 758	M1-02	DO YOU WORK WITH TRAPEZOIDAL WAVE GENERATORS	12	6	21	14	11	12	11
M 759	M1-03	DO YOU WORK WITH PULSED OSCILLATORS WITH REGENERATIVE FEEDBACK	18	6	25	18	22	18	21
M 760	M1-04	DO YOU WORK WITH PULSED OSCILLATORS WITHOUT REGENERATIVE FEEDBACK	16	6	25	18	18	15	17

COUNTERS

TIMING CIRCUITS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

Task	Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
H 761 H1-05	DO YOU WORK WITH BLOCKING OSCILLATORS	18	9	23	19	17	19	20
H 762 H1-06	DO YOU USE OR REFER TO RISE TIME	18	10	23	16	22	17	19
H 763 H1-07	DO YOU USE OR REFER TO FALL OR FLYBACK TIME	16	9	25	13	21	14	13
H 764 H1-08	DO YOU USE OR REFER TO SWEEP TIME	21	13	20	20	23	24	14
H 765 H1-09	DO YOU USE OR REFER TO ELECTRICAL LENGTH OF SAWTOOTH WAVEFORMS	16	11	23	17	18	14	14
H 766 H1-10	DO YOU USE OR REFER TO PHYSICAL LENGTH OF SAWTOOTH WAVEFORMS	12	9	20	12	12	12	13
H 767 H1-11	DO YOU USE OR REFER TO LINEAR SLOPE OF SAWTOOTH WAVEFORMS	11	9	23	12	13	9	13
H 768 H1-12	DO YOU USE OR REFER TO GATE LENGTH OF SAWTOOTH WAVEFORMS	12	9	21	12	13	12	13
H 769 H2-01	DO YOU USE SIGNAL GENERATORS IN YOUR PRESENT JOB	88	94	84	84	89	86	94
H 770 H2-02	DO YOU PERFORM OPERATIONAL CHECKS WHILE USING SIGNAL GENERATORS	86	87	86	83	89	82	93
H 771 H2-03	DO YOU PERFORM PERIODIC MAINTENANCE SUCH AS ADJUSTING, ALIGNING, OR CALIBRATING WHILE USING SIGNAL GENERATORS	66	63	63	66	72	63	70
H 772 H2-04	DO YOU TROUBLESHOOT TO AN ASSEMBLY OR SUBASSEMBLY WHILE USING SIGNAL GENERATORS	69	69	73	68	71	65	76
H 773 H2-05	DO YOU TROUBLESHOOT TO THE SMALLEST REPLACEABLE COMPONENT WHILE USING SIGNAL GENERATORS	57	50	57	59	60	53	59
H 774 H2-06	DO YOU USE AUDIO SINE-WAVE GENERATORS	76	84	77	69	77	77	84
H 775 H2-07	DO YOU USE AUDIO NON-SINUSOIDAL WAVE GENERATORS SUCH AS SQUARE WAVE, TRIANGLE, PULSE, OR SPIKE	23	17	27	26	24	18	24
H 776 H2-08	DO YOU USE RF GENERATORS LESS THAN 1,000 MH	75	81	73	76	74	72	79
H 777 H2-09	DO YOU USE RF GENERATORS GREATER THAN 1,000 MH	36	26	39	34	39	37	40
H 778 H2-10	DO YOU USE OTHER SPECIAL PURPOSE OR MULTI-FUNCTION GENERATORS	40	39	43	41	40	34	41
H 779 H3-01	IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH ALTERNATING CURRENT OR DIRECT CURRENT MOTORS OR GENERATORS	64	61	55	56	70	58	81
H 780 H3-02	DO YOU INSPECT MOTORS	64	63	54	55	71	59	83
H 781 H3-03	DO YOU CLEAN OR LUBRICATE MOTORS	58	57	46	51	65	51	70
H 782 H3-04	DO YOU OPERATE MOTORS	61	63	55	56	66	53	81
H 783 H3-05	DO YOU REMOVE OR REPLACE COMPLETE MOTORS	64	63	52	58	70	59	81
H 784 H3-06	DO YOU REMOVE OR REPLACE MOTOR PARTS	33	29	29	29	43	25	33
H 785 H3-07	DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF MOTORS	60	59	52	54	64	57	79
H 786 H3-08	DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF MOTORS	24	20	27	21	30	19	24
H 787 H3-09	DO YOU PERFORM ANY TASKS ON FIELD COILS	8	3	9	9	7	9	14
H 788 H3-10	DO YOU PERFORM ANY TASKS ON ARMATURES	15	14	14	14	14	12	16
H 789 H3-11	DO YOU PERFORM ANY TASKS ON ROTORS	12	7	14	11	10	10	17
H 790 H3-12	DO YOU PERFORM ANY TASKS ON BRUSHES	42	41	46	36	50	29	44
H 791 H3-13	DO YOU PERFORM ANY TASKS ON SLIP RINGS	12	7	11	11	11	12	20
H 792 H3-14	DO YOU PERFORM ANY TASKS ON COMMUTATORS	16	13	16	14	18	12	20
H 793 H3-15	DO YOU PERFORM ANY TASKS ON POLE PIECES	8	6	9	9	7	10	11

USE OF SIGNAL GENERATORS

MOTORS AND GENERATORS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
H 794	M3-16 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OF THE FORCE OR TORQUE CREATED BY A MOTOR	8	4	5	3	4	18	10
H 795	M3-17 DO YOU DETERMINE OR MEASURE THE DIRECTION OF THE MECHANICAL FORCE OR TORQUE CREATED BY A MOTOR	9	7	5	6	7	17	14
H 796	M3-18 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OR DIRECTION OF THE INDUCED VOLTAGE IN MOTORS	5	6	4	6	3	6	9
H 797	M3-19 DO YOU WORK WITH SYNCHRONOUS MOTORS	27	21	23	24	29	29	27
H 798	M3-20 DO YOU WORK WITH INDUCTION MOTORS	29	33	27	26	30	29	37
H 799	M3-21 DO YOU WORK WITH SPLIT-PHASE MOTORS	19	13	27	17	19	20	23
H 800	M3-22 DO YOU WORK WITH SOME COMBINATION OF THE ABOVE MOTORS	33	36	27	29	33	31	39
H 801	M3-23 DO YOU INSPECT GENERATORS	15	7	21	14	17	12	24
H 802	M3-24 DO YOU CLEAN OR LUBRICATE GENERATORS	13	1	14	12	16	10	20
H 803	M3-25 DO YOU OPERATE GENERATORS	17	14	21	14	20	13	26
H 804	M3-26 DO YOU REMOVE OR REPLACE COMPLETE GENERATORS	12	3	11	7	14	10	20
H 805	M3-27 DO YOU REMOVE OR REPLACE GENERATOR PARTS	7	0	11	7	6	6	7
H 806	M3-28 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF GENERATORS	12	3	14	10	14	10	20
H 807	M3-29 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF GENERATORS	6	0	11	6	7	5	4
	GENERATORS							
N 808	N1-01 DO YOU WORK WITH METERS IN YOUR PRESENT JOB	83	90	80	81	85	82	87
N 809	N1-02 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF PERMANENT MAGNETS	21	13	30	21	22	20	19
	PERMANENT MAGNETS							
N 810	N1-03 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF MOVING COILS	23	19	36	23	25	23	20
	MOVING COILS							
N 811	N1-04 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF SPIRAL SPRINGS	21	17	32	21	22	20	17
	SPIRAL SPRINGS							
N 812	N1-05 DO YOU READ METER SCALES	84	90	82	82	86	83	87
N 813	N1-06 DO YOU EXTEND THE RANGE OF AMMETERS	32	29	30	40	31	31	30
N 814	N1-07 DO YOU ZERO OHMMETERS	83	86	82	80	86	83	87
N 815	N1-08 DO YOU ZERO AMMETERS	48	47	41	53	84	50	53
N 816	N1-09 DO YOU EXTEND THE RANGE OF VOLTMETERS	48	33	43	51	48	44	53
N 817	N1-10 DO YOU USE OR REFER TO VOLTMETER SENSITIVITY (EXPRESSED IN UNITS OF OHMS PER VOLT)	54	53	50	53	59	52	59
	METER MOVEMENTS							
N 818	N2-01 DO YOU WORK WITH SATURABLE REACTORS OR MAGNETIC AMPLIFIERS IN YOUR PRESENT JOB	14	3	9	14	21	12	20
N 819	N2-02 DO YOU INSPECT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	13	1	5	12	21	10	19
N 820	N2-03 DO YOU CLEAN MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	10	0	2	12	16	8	17
N 821	N2-04 DO YOU ADJUST MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	7	0	0	8	11	6	10
N 822	N2-05 DO YOU TROUBLESHOOT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	11	1	5	12	19	8	11
	SATURABLE REACTORS AND MAGNETIC AMPLIFIERS							
N 823	N2-06 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	13	1	4	13	21	10	19
N 824	N2-07 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIER OR SATURABLE REACTOR COMPONENTS	7	0	2	8	10	4	10

TASK. GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK			SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
N 825	N2-08	DO YOU USE OR REFER TO HYSTERESIS CURVES OR LOOPS	4	0	5	4	6	3	7
N 826	N2-09	DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF	5	0	4	5	9	4	6
N 827	N2-10	DO YOU MEASURE REACTOR OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF	6	0	4	6	10	5	11
N 828	N2-11	DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS FOR MAGNETIC AMPLIFIERS	4	0	2	5	7	3	6
N 829	N2-12	DO YOU USE OR REFER TO COERCIVE FORCE IN SATURABLE REACTORS	2	0	2	2	2	1	3
N 830	N2-13	DO YOU USE OR REFER TO RESIDUAL MAGNETISM IN SATURABLE REACTORS	3	0	2	4	4	2	4
N 831	N2-14	DO YOU USE OR REFER TO FLUX DENSITY IN SATURABLE REACTORS	2	0	2	3	3	2	4
N 832	N2-15	DO YOU USE OR REFER TO POINT OF SATURATION IN SATURABLE REACTORS	4	0	2	4	6	4	4
N 833	N2-16	DO YOU USE OR REFER TO SATURABLE REACTOR SCHEMATIC SYMBOLS	9	1	7	10	14	7	11
N 834	N3-01	DO YOU WORK WITH WAVESHAPING CIRCUITS IN YOUR PRESENT JOB	20	7	20	19	22	21	23
N 835	N3-02	DO YOU USE OR REFER TO TRANSIENT INTERVALS	11	3	13	10	15	11	13
N 836	N3-03	DO YOU USE OR REFER TO PULSE WIDTH (PW)	15	4	14	14	17	16	17
N 837	N3-04	DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)	12	3	14	12	16	13	14
N 838	N3-05	DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY (PRF)	13	3	14	12	15	14	16
N 839	N3-06	DO YOU USE OR REFER TO DIFFERENTIATING CIRCUITS	13	3	18	12	18	12	16
N 840	N3-07	DO YOU USE OR REFER TO INTEGRATING CIRCUITS	14	4	18	12	17	13	17
N 841	N3-08	DO YOU USE OR REFER TO THE CLASSIFICATION OF TIME CONSTANTS (TC) AS LONG, MEDIUM, OR SHORT	10	4	16	12	11	9	10
N 842	N3-09	DO YOU DETERMINE WHETHER AN LR OR RC CIRCUIT IS DIFFERENTIATING OR INTEGRATING BASED ON THE TIME CONSTANT	6	1	7	6	10	5	6
N 843	N3-10	DO YOU WORK WITH SQUARE WAVE GENERATORS	16	9	18	16	18	14	20
N 844	N3-11	DO YOU WORK WITH RECTANGULAR WAVE GENERATORS	10	4	19	10	11	7	9
O 845	01-01	DO YOU WORK ON SINGLE SIDEBAND SYSTEMS IN YOUR PRESENT JOB	54	16	45	84	72	31	34
O 846	01-02	DO YOU INSPECT SSB TRANSMIT OR RECEIVE SYSTEMS	53	14	43	82	70	29	36
O 847	01-03	DO YOU CLEAN SSB TRANSMIT OR RECEIVE SYSTEMS	49	14	32	76	65	26	34
O 848	01-04	DO YOU ALIGN SSB TRANSMIT OR RECEIVE SYSTEMS	47	14	41	71	61	27	29
O 849	01-05	DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE SYSTEMS	54	16	46	83	71	30	36
O 850	01-06	DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE COMPONENTS	48	14	43	75	62	25	33
O 851	01-07	DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE SYSTEMS	52	16	41	83	70	28	31
O 852	01-08	DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE COMPONENTS	48	16	38	75	63	26	33

WAVESHAPING CIRCUITS

SINGLE SIDEBAND SYSTEMS

PCT HRS PERF TASKS- DAFSC/MAJCON GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DV-TSK			SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
0 853	01-09	DO YOU PERFORM TASKS ON SSB AUDIO AMPLIFIERS	43	14	39	65	55	25	30
0 854	01-10	DO YOU PERFORM TASKS ON SSB BALANCED MODULATORS	41	14	37	64	53	24	29
0 855	01-11	DO YOU PERFORM TASKS ON SSB CARRIER OSCILLATORS	37	13	36	56	48	22	29
0 856	01-12	DO YOU PERFORM TASKS ON SSB LC FILTERS	36	13	38	55	47	20	27
0 857	01-13	DO YOU PERFORM TASKS ON SSB CRYSTAL FILTERS	32	9	32	50	40	19	23
0 858	01-14	DO YOU PERFORM TASKS ON SSB MECHANICAL FILTERS	37	10	34	57	47	22	30
0 859	01-15	DO YOU PERFORM TASKS ON SSB OSCILLATORS	42	10	41	57	53	24	31
0 860	01-16	DO YOU PERFORM TASKS ON SSB MIXERS	42	14	41	65	52	24	30
0 861	01-17	DO YOU PERFORM TASKS ON SSB DRIVERS	42	14	39	65	52	24	30
0 862	01-18	DO YOU PERFORM TASKS ON SSB POWER AMPLIFIERS	42	14	41	65	52	24	29
0 863	01-19	DO YOU PERFORM TASKS ON SSB RF AMPLIFIERS	43	14	41	68	53	24	30
0 864	01-20	DO YOU PERFORM TASKS ON SSB FREQUENCY CONVERTERS	39	10	41	62	52	24	27
0 865	01-21	DO YOU PERFORM TASKS ON SSB IF AMPLIFIERS	42	14	39	66	52	24	30
0 866	01-22	DO YOU PERFORM TASKS ON SSB DEMODULATORS	38	13	38	58	49	21	27
0 867	01-23	DO YOU PERFORM TASKS ON SSB DON'T REMEMBER WHICH SSB	11	1	7	18	14	6	10

SYSTEM STAGES

			SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
0 868	01-24	DO YOU USE OR REFER TO SELECTIVE FADING	21	7	23	30	25	15	20
0 869	01-25	DO YOU USE OR REFER TO PEAK POWER	37	13	41	56	43	24	26
0 870	01-26	DO YOU USE OR REFER TO FREQUENCY STABILITY	45	14	46	67	59	24	30
0 871	01-27	DO YOU USE OR REFER TO RESPONSE CURVES FOR BANDWIDTH FILTERS	16	1	20	25	19	12	11
0 872	01-28	DO YOU CALCULATE PEAK POWER OR EFFECTIVE POWER OF SSB TRANSMITTERS	22	7	27	39	24	15	10
0 873	01-29	DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB TRANSMITTER SCHEMATIC DIAGRAMS	43	14	45	65	56	23	27
0 874	01-30	DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB RECEIVER SCHEMATIC DIAGRAMS	43	14	45	66	55	22	29
0 875	02-01	DO YOU WORK ON PULSE MODULATION SYSTEMS IN YOUR PRESENT JOB	4	7	0	3	3	4	7

PULSE MODULATION SYSTEMS

			SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
0 876	02-02	DO YOU INSPECT PULSE MODULATION SYSTEMS	4	6	0	3	3	4	7
0 877	02-03	DO YOU CLEAN PULSE MODULATION SYSTEMS	3	4	0	3	3	4	6
0 878	02-04	DO YOU ALIGN PULSE MODULATION SYSTEMS	3	4	0	3	3	4	4
0 879	02-05	DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS	4	4	0	4	3	4	7
0 880	02-06	DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEM COMPONENTS	3	4	0	3	3	4	3
0 881	02-07	DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEMS	3	6	0	3	3	4	4
0 882	02-08	DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM COMPONENTS	3	4	0	3	3	4	3
0 883	02-09	DO YOU WORK ON PULSE-AMPLITUDE MODULATION (PAM) SYSTEMS	2	4	0	2	3	2	1
0 884	02-10	DO YOU WORK ON PULSE-DURATION MODULATION (PDM) SYSTEMS	2	0	0	2	3	1	1
0 885	02-11	DO YOU WORK ON PULSE-POSITION MODULATION (PPM) SYSTEMS	2	4	0	2	3	1	3
0 886	02-12	DO YOU WORK ON PULSE-CODE MODULATION (PCM) SYSTEMS	2	4	0	1	0	2	1
0 887	02-13	DO YOU WORK ON LINE PULSING MODULATION SYSTEMS	1	1	0	2	2	2	1
0 888	02-14	DO YOU WORK ON DON'T REMEMBER WHICH TYPE OF MODULATION SYSTEM	2	3	0	2	3	3	3

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
0 889 02-15	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM	3	6	2	2	3	3	4
0 890 02-16	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM POWER SUPPLIES	2	3	2	1	2	2	3
0 891 02-17	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM CHARGING CHOKES AND CHARGING DIODES	2	4	2	2	2	2	4
0 892 02-18	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM PULSE FORMING NETWORKS	2	3	0	1	3	2	4
0 893 02-19	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM TIMERS	1	0	1	1	2	1	0
0 894 02-20	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM SWITCHES SUCH AS GAS THYRATRONS	2	0	0	2	2	2	1
0 895 02-21	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM PULSE TRANSFORMERS	2	6	2	2	2	2	3
0 896 02-22	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM RF TRANSMITTER TUBES	2	6	2	2	3	3	3
0 897 02-23	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM AMPLIFIERS	3	4	2	3	3	3	3
0 898 02-24	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM FREQUENCY CONVERTERS	3	6	2	3	3	3	3
0 899 02-25	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM IF AMPLIFIERS	3	6	2	2	3	2	3
0 900 02-26	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM DETECTORS	1	1	0	2	2	2	1
0 901 02-27	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM VIDEO AMPLIFIERS	1	0	0	2	2	1	0
0 902 02-28	DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM POWER VIDEO AMPLIFIERS	1	3	0	1	3	1	1
0 903 02-29	DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY DON'T REMEMBER WHICH PULSE MODULATION SYSTEM STAGES	2	1	0	1	3	2	1
0 904 02-30	DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)	1	1	0	1	3	2	1
0 905 02-31	DO YOU USE OR REFER TO PULSE WIDTH (PW)	2	1	0	2	3	2	3
0 906 02-32	DO YOU USE OR REFER TO PULSE SHAPE	2	1	2	2	3	2	1
0 907 02-33	DO YOU USE OR REFER TO PEAK POWER	2	7	2	2	2	2	1
0 908 02-34	DO YOU USE OR REFER TO AVERAGE POWER	2	3	2	2	2	2	1
0 909 02-35	DO YOU CALCULATE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF)	1	0	2	1	2	1	0
0 910 02-36	DO YOU MEASURE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF)	2	1	0	1	2	2	3
0 911 02-37	DO YOU USE FORMULAS TO CALCULATE AVERAGE POWER OR PEAK POWER OF PULSE MODULATION TRANSMIT SYSTEMS	1	0	0	0	2	1	0
0 912 02-38	DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE MODULATION TRANSMITTER SCHEMATIC DIAGRAMS	2	4	0	0	3	1	3
0 913 02-39	DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE MODULATION RECEIVER SCHEMATIC DIAGRAMS	3	4	2	3	3	3	4
0 914 03-01	DO YOU WORK WITH ANTENNAS IN YOUR PRESENT JOB	88	89	68	90	92	90	93
0 915 03-02	DO YOU INSPECT ANTENNAS	88	90	63	89	92	89	94

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
916 03-03 DO YOU CLEAN ANTENNAS	81	80	81	84	85	79	87
917 03-04 DO YOU PHYSICALLY ALIGN ANTENNAS	33	30	23	34	32	35	41
918 03-05 DO YOU ELECTRICALLY ALIGN ANTENNAS	32	23	21	32	35	33	34
919 03-06 DO YOU TROUBLESHOOT TO ANTENNAS	87	87	70	89	91	86	93
920 03-07 DO YOU TROUBLESHOOT TO ANTENNA COMPONENTS	41	30	34	42	41	47	41
921 03-08 DO YOU REMOVE OR INSTALL ANTENNAS	89	90	64	91	92	90	96
922 03-09 DO YOU REMOVE OR REPLACE COMPONENTS OF ANTENNAS	38	29	27	39	37	44	40
923 03-10 DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING REPRESENTATIONS OF E OR ELECTRIC FIELD LINES	8	1	9	11	6	8	13
924 03-11 DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING REPRESENTATIONS OF H OR MAGNETIC FIELD LINES	7	1	7	11	5	7	14
925 03-12 DO YOU DETERMINE THE DIRECTION OF THE MAGNETIC LINES IN RELATION TO THE ELECTRIC LINES OF FORCE FOR ANTENNAS	7	1	7	10	5	8	14
926 03-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE OF CORRECT LENGTH (HALF-WAVE) ACT AS	12	7	11	14	15	11	11
927 03-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE LONGER THAN A HALF-WAVE ACT AS INDUCTIVE LOADS	12	4	11	15	15	11	13
928 03-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE SHORTER THAN A HALF-WAVE ACT AS CAPACITIVE LOADS	14	6	9	17	18	13	14
929 03-16 DO YOU WORK WITH HERTZ ANTENNAS	22	19	21	22	24	19	37
930 03-17 DO YOU WORK WITH MARCONI ANTENNAS	16	19	14	18	19	11	21
931 03-18 DO YOU WORK WITH BROADSIDE ARRAYS	9	13	5	12	9	8	10
932 03-19 DO YOU WORK WITH END-FIRE ARRAYS	6	7	5	8	4	6	6
933 03-20 DO YOU WORK WITH CARDIOID ARRAYS	18	30	7	14	14	23	29
934 03-21 DO YOU WORK WITH COLLINEAR ARRAYS	7	6	11	11	6	8	6
935 03-22 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC INDUCTION FIELDS WHEN WORKING WITH ANTENNAS	7	1	9	7	6	9	11
936 03-23 DO YOU MEASURE ELECTROMAGNETIC INDUCTION FIELDS OF ANTENNAS	4	1	5	4	3	5	9
937 03-24 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC RADIATION FIELDS WHEN WORKING WITH ANTENNAS	7	1	9	8	6	9	10
938 03-25 DO YOU MEASURE ELECTROMAGNETIC RADIATION FIELDS OF ANTENNAS	4	1	5	6	4	5	4
939 03-26 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA RADIATION	3	1	4	4	2	3	4
940 03-27 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA INDUCTION FIELD	3	1	4	4	2	3	6
941 03-28 ARE ANY OF THE ANTENNAS YOU WORK ON LINEARLY POLARIZED	13	16	13	18	12	11	13
942 03-29 ARE ANY OF THE ANTENNAS YOU WORK ON CIRCULARLY POLARIZED	10	10	9	12	11	10	13
943 03-30 DO YOU MEASURE OR DETERMINE THE POLARITY OF ANTENNAS YOU WORK ON	4	4	7	7	4	3	7
944 03-31 DO YOU CONSTRUCT, OR MAKE THE CALCULATIONS NECESSARY TO CONSTRUCT, ANTENNAS OF CORRECT LENGTH FOR	7	4	7	12	5	7	4

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
O 945 03-32 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS		7	6	9	9	7	6	1
O 946 03-33 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS DIRECTORS		5	4	7	7	6	5	1
O 947 03-34 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS REFLECTORS		5	6	9	8	6	3	4
O 948 03-35 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN DON'T REMEMBER WHAT KIND OF ELEMENTS		36	39	21	28	37	38	50
O 949 03-36 DO YOU WORK ON UNIDIRECTIONAL ANTENNAS		37	40	38	37	39	36	33
O 850 03-37 DO YOU WORK ON BIDIRECTIONAL ANTENNAS		33	31	23	38	38	30	34
O 851 03-38 DO YOU WORK ON DON'T REMEMBER THE DIRECTIONALITY		27	27	14	25	29	26	31
O 852 03-39 DO YOU WORK WITH ROTARY ANTENNA ANTENNA ARRAYS		19	14	11	12	18	21	29
P 953 PI-01 IN YOUR PRESENT JOB DO YOU WORK WITH TRANSMISSION LINES (TRANSMISSION LINES ARE DEFINED TO INCLUDE LEADS		73	81	59	71	76	70	77
P 954 PI-02 DO YOU REFER TO OR USE COPPER LOSS OR I2R LOSS IN TRANSMISSION LINES		6	3	5	6	6	7	11
P 955 PI-03 DO YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY CURRENTS IN TRANSMISSION LINES		12	9	16	11	14	10	17
P 956 PI-04 DO YOU REFER TO OR USE RADIATION LOSS IN TRANSMISSION LINES		25	33	27	18	24	28	36
P 957 PI-05 DO YOU USE OR REFER TO DIELECTRIC LOSS IN TRANSMISSION LINES		12	11	16	13	9	10	19
P 958 PI-06 DO YOU USE OR REFER TO LEAKAGE LOSSES IN TRANSMISSION LINES		18	21	18	17	14	19	20
P 959 PI-07 DO YOU WORK WITH TWISTED PAIR TRANSMISSION LINES		10	9	9	9	13	10	11
P 960 PI-08 DO YOU WORK WITH TWIN LEAD TRANSMISSION LINES		8	6	7	8	9	9	10
P 961 PI-09 DO YOU WORK WITH OPEN TWO-WIRE TRANSMISSION LINES		5	1	5	6	5	5	7
P 962 PI-10 DO YOU WORK WITH FLEXIBLE COAXIAL CABLE TRANSMISSION LINES		73	79	59	71	75	71	76
P 963 PI-11 DO YOU WORK WITH RIGID COAXIAL CABLE TRANSMISSION LINES		29	14	32	49	25	25	19
P 964 PI-12 DO YOU TROUBLESHOOT TRANSMISSION LINES		70	80	57	68	70	68	76
P 965 PI-13 DO YOU ANALYZE VOLTAGE OR CURRENT WAVEFORMS IN TRANSMISSION LINES TO DETERMINE THE TYPE OF TERMINATION		8	11	9	13	6	7	9
P 966 PI-14 DO YOU SELECT APPROPRIATE TRANSMISSION LINE TERMINATIONS TO ACHIEVE DESIRED WAVEFORMS		6	6	5	7	7	5	6
P 967 PI-15 DO YOU USE OR REFER TO SCHEMATIC SYMBOLS FOR LINE TERMINATIONS IN TERMS OF CIRCUIT TERMINATIONS		20	20	20	24	18	19	19
P 968 PI-16 DO YOU MEASURE STANDING WAVE RATIOS (SR) OF TRANSMISSION LINES		58	64	52	56	65	53	54
P 969 PI-17 DO YOU CALCULATE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES		26	34	25	30	26	22	19
P 970 PI-18 DO YOU PERFORM THE CALCULATIONS NECESSARY TO DETERMINE THE IMPEDANCE AND LENGTH OF QUARTER - WAVELENGTH		6	4	13	5	7	5	4

TRANSMISSION LINES

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
P 971	PI-19	DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED	21	19	20	23	19	21	
P 972	PI-20	DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING MATCHING TRANSFORMERS	7	4	13	8	10	6	
P 973	PI-21	DO YOU SELECT THE TYPE OF TRANSMISSION LINE NEEDED FOR PARTICULAR JOBS WITHOUT REFERRING TO TECHNICAL DATA	7	10	5	7	7	5	7
P 974	PI-22	DO YOU USE OR REFER TO THE TERM CHARACTERISTIC IMPEDANCE (ZO) OF TRANSMISSION LINES	16	16	20	17	19	10	20
P 975	PI-23	DO YOU CALCULATE THE CHARACTERISTIC IMPEDANCE (ZO) OF TRANSMISSION LINES	4	4	4	5	4	6	
P 976	PI-24	DO YOU USE OR REFER TO THE TERM CUTOFF FREQUENCY OF TRANSMISSION LINES	6	4	5	5	6	6	
P 977	PI-25	DO YOU USE OR REFER TO THE TERM VELOCITY FACTOR (K) OF TRANSMISSION LINES	3	1	2	4	3	2	4
P 978	PI-26	DO YOU COMPUTE THE ELECTRICAL LENGTH OF TRANSMISSION LINES FOR PARTICULAR FREQUENCIES	8	1	9	9	10	9	
P 979	PI-27	DO YOU CONSTRUCT TRANSMISSION LINES OF PARTICULAR ELECTRICAL LENGTH FOR GIVEN FREQUENCIES	6	3	5	7	8	5	9
P 980	PI-28	DO YOU USE OR REFER TO THE GENERAL RULE THAT AS THE FREQUENCY INCREASES AND THE PHYSICAL LENGTH OF	11	10	13	12	13	10	14
P 981	PI-29	DO YOU WORK WITH NONRESONANT (FLAT) TRANSMISSION LINES	11	14	9	14	9	9	13
P 982	PI-30	DO YOU WORK WITH RESONANT TRANSMISSION LINES	20	20	20	19	23	19	21
P 983	PI-31	DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING STUB MATCHING	14	9	13	12	17	15	14
P 984	P2-01	DO YOU WORK WITH WAVEGUIDES OR CAVITY RESONATORS IN YOUR PRESENT JOB	8	7	7	6	9	7	13
P 985	P2-02	DO YOU INSPECT WAVEGUIDES OR CAVITY RESONATORS	7	4	5	5	8	6	11
P 986	P2-03	DO YOU CLEAN WAVEGUIDES OR CAVITY RESONATORS	4	4	5	5	7	3	9
P 987	P2-04	DO YOU BEND WAVEGUIDES OR CAVITY RESONATORS	4	4	2	5	5	3	7
P 988	P2-05	DO YOU TWIST WAVEGUIDES OR CAVITY RESONATORS	3	1	2	3	5	2	3
P 989	P2-06	DO YOU PRESSURIZE WAVEGUIDES OR CAVITY RESONATORS	2	0	2	3	2	3	3
P 990	P2-07	DO YOU PURGE WAVEGUIDES OR CAVITY RESONATORS	6	2	2	3	2	1	3
P 991	P2-08	DO YOU TROUBLESHOOT WAVEGUIDES OR CAVITY RESONATORS	6	6	4	3	8	6	10
P 992	P2-09	DO YOU REMOVE OR INSTALL COMPLETE WAVEGUIDES	2	4	0	2	1	2	1
P 993	P2-10	DO YOU REMOVE OR INSTALL WAVEGUIDE SECTIONS	4	0	0	3	2	2	7
P 994	P2-11	DO YOU REMOVE OR INSTALL DUMMY LOADS	1	0	0	1	1	1	1
P 995	P2-12	DO YOU REMOVE OR INSTALL E BENDS	1	0	0	1	2	2	3
P 996	P2-13	DO YOU REMOVE OR INSTALL H BENDS	1	1	0	1	2	0	3
P 997	P2-14	DO YOU REMOVE OR INSTALL OTHER BENDS	1	0	0	1	1	1	3
P 998	P2-15	DO YOU REMOVE OR INSTALL ROTATING JOINTS	1	0	0	0	6	2	1
P 999	P2-16	DO YOU REMOVE OR INSTALL CHOKE JOINTS	1	0	4	2	1	4	4
P1000	P2-17	DO YOU REMOVE OR INSTALL DIRECTIONAL COUPLERS		0	0	3	8	2	6
P1001	P2-18	DO YOU REMOVE OR INSTALL BIDIRECTIONAL COUPLERS	2	0	0	2	3	3	3
P1002	P2-19	DO YOU USE OR REFER TO "A" WALL OF WAVEGUIDES	1	0	0	2	1	0	1

WAVEGUIDES AND CAVITY RESONATORS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

Task	Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
P1003 P2-20	DO YOU USE OR REFER TO "B" WALL OF WAVEGUIDES	1	0	0	2	1	0	1
P1004 P2-21	DO YOU USE OR REFER TO CUTOFF FREQUENCY OF WAVEGUIDES	1	0	0	3	1	1	1
P1005 P2-22	DO YOU USE OR REFER TO FREQUENCY-DETERMINING WALL OF WAVEGUIDES	1	0	0	3	1	0	1
P1006 P2-23	DO YOU USE OR REFER TO POWER-DETERMINING WALL OF WAVEGUIDES	1	0	0	2	2	0	1
P1007 P2-24	DO YOU USE OR REFER TO ELECTRIC FIELD BOUNDARY CONDITIONS	1	0	0	3	1	0	1
P1008 P2-25	DO YOU USE OR REFER TO MAGNETIC FIELD BOUNDARY CONDITIONS	1	0	0	1	1	0	1
P1009 P2-26	DO YOU USE OR REFER TO DUPLEXER FIELD BOUNDARY CONDITIONS	1	0	0	2	1	0	1
P1010 P2-27	DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST WAVEGUIDES ARE MADE WITH A "B" WALL SIZE OF .7 WAVELENGTHS	1	0	0	2	1	0	1
P1011 P2-28	DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST "A" WALLS RANGE FROM .2 TO .5 WAVELENGTHS IN SIZE, WITH .35	1	0	0	2	0	0	
P1012 P2-29	ARE YOU CONCERNED WITH THE MATERIAL (SUCH AS BRASS) WHICH WAVEGUIDES ARE MADE OF	1	0	0	2	1	0	
P1013 P2-30	DO YOU COMPUTE THE LENGTH OF A WAVEGUIDE FOR SPECIFIC INSTALLATION	1	0	0	2	1	0	
P1014 P2-31	DO YOU USE THE RIGHT HAND RULE TO DETERMINE THE DIRECTION OF PROPAGATION, DIRECTION OF "E" FIELD, OR THE LINES IN WAVEGUIDES	1	0	0	2	1	1	1
P1015 P2-32	DO YOU USE OR REFER TO THE TIME PHASE OF PEAK "E" OR THE LINES IN WAVEGUIDES	1	0	0	2	1	1	1
P1016 P2-33	DO YOU MEASURE THE TIME PHASE OF "E" OR "H" LINES IN WAVEGUIDES	1	0	0	1	1	0	0
P1017 P2-34	DO YOU USE OR REFER TO THE SPACE QUADRATURE OF "E" OR "H" LINES IN WAVEGUIDES	1	0	0	1	1	0	1
P1018 P2-35	ARE HIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	1	0	0	2	1	0	3
P1019 P2-36	ARE LOW POWER PROBES USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	1	0	0	2	1	0	4
P1020 P2-37	ARE LOOPS USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	4	1	5	4	6	1	9
P1021 P2-38	ARE APERTURES (WINDOWS OR IRISES) USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	1	0	2	2	0	1	1
P1022 P2-39	ARE DON'T REMEMBER THE KIND OF ENERGY COUPLING USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	3	2	0	2	4	3
P1023 P2-40	DO YOU DETERMINE WHERE PROBES SHOULD BE MOUNTED IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO	1	0	0	0	1	0	1
P1024 P2-41	DO YOU DETERMINE THE POSITIONING OF LOOPS IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO	1	0	0	2	1	0	1

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

TASK		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
P1025	P2-42 DO YOU DETERMINE THE POSITIONING OR SIZE OF APERTURES IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO RESONATORS YOU WORK WITH	1	0	0	2	1	0	0
P1026	P2-43 ARE CHOKE JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	1	0	0	2	1	0	0
P1027	P2-44 ARE ROTATING JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	1	0	0	2	2	2	1
P1028	P2-45 ARE DON'T REMEMBER THE KIND OF JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	4	0	0	4	3	3
P1029	P2-46 DO YOU TUNE CAVITY RESONATORS USING CAPACITIVE TUNING	4	6	4	3	4	5	10
P1030	P2-47 DO YOU TUNE CAVITY RESONATORS USING INDUCTIVE TUNING	4	4	4	3	4	4	10
P1031	P2-48 DO YOU TUNE CAVITY RESONATORS USING VOLUME TUNING	2	1	4	1	2	2	3
P1032	P2-49 DO YOU TUNE CAVITY RESONATORS USING DON'T REMEMBER	1	0	2	1	2	3	1
P1033	P2-50 DO YOU MEASURE THE FREQUENCY OF SIGNALS IN CAVITY RESONATORS	4	3	5	2	5	5	7
P1034	P3-01 IN YOUR PRESENT JOB DO YOU WORK WITH KLYSTRONS, TRAVELING WAVE TUBES (TWT), PARAMETRIC AMPLIFIERS, OR	2	0	2	2	2	3	1
P1035	P3-02 DO YOU USE OR REFER TO INTERELECTRODE CAPACITANCE	1	0	0	1	1	3	1
P1036	P3-03 DO YOU USE OR REFER TO ELECTRON TRANSIT TIME	1	0	0	1	1	1	1
P1037	P3-04 DO YOU USE OR REFER TO LEAD INDUCTANCE	1	0	0	1	1	1	1
P1038	P3-05 DO YOU USE OR REFER TO RF LOSSES IN EXTERNAL CIRCUITRY	1	0	0	1	2	1	1
P1039	P3-06 DO YOU USE OR REFER TO PRINCIPLE OF ELECTRON VELOCITY MODULATION	1	0	0	0	1	0	0
P1040	P3-07 DO YOU USE OR REFER TO ELECTRON BUNCHING	1	0	0	0	1	0	0
P1041	P3-08 DO YOU WORK WITH TWO-CAVITY KLYSTRONS	1	0	0	1	1	0	0
P1042	P3-09 DO YOU WORK WITH THREE-CAVITY KLYSTRONS	1	0	0	0	1	2	0
P1043	P3-10 DO YOU WORK WITH REFLEX KLYSTRONS	1	0	0	1	1	1	0
P1044	P3-11 DO YOU WORK WITH TRAVELING-WAVE TUBES (TWT)	1	0	0	0	1	1	0
P1045	P3-12 DO YOU WORK WITH NONDEGENERATIVE PARAMETRIC AMPLIFIERS	1	0	0	0	1	2	0
P1046	P3-13 DO YOU WORK WITH UP-CONVERTER PARAMETRIC AMPLIFIERS		0	0	0	1	0	0
P1047	P3-14 DO YOU WORK WITH MAGNETRONS	1	0	0	1	1	2	0
P1048	P3-15 DO YOU INSPECT KLYSTRONS OR TWT	1	0	0	1	1	0	0
P1049	P3-16 DO YOU CLEAN KLYSTRONS OR TWT	0	0	0	0	1	0	0
P1050	P3-17 DO YOU TUNE KLYSTRONS OR TWT ELECTRICALLY	0	0	0	1	1	1	0
P1051	P3-18 DO YOU TUNE KLYSTRONS OR TWT MECHANICALLY	1	0	0	0	1	0	0
P1052	P3-19 DO YOU PERFORM OPERATIONAL CHECKS OF KLYSTRONS OR TWT	0	0	0	2	1	2	0
P1053	P3-20 DO YOU TROUBLESHOOT KLYSTRONS OR TWT		0	0	0	1	0	0
P1054	P3-21 DO YOU REMOVE OR REPLACE COMPLETE KLYSTRON OR TWT	1	0	0	1	1	1	1
P1055	P3-22 DO YOU REMOVE OR REPLACE KLYSTRON OR TWT COMPONENTS	1	0	0	1	1	2	0
P1056	P3-23 DO YOU INSPECT PARAMETRIC AMPLIFIERS	0	0	0	2	1	0	1
P1057	P3-24 DO YOU CLEAN PARAMETRIC AMPLIFIERS	0	0	0	2	1	0	1
P1058	P3-25 DO YOU ADJUST PARAMETRIC AMPLIFIERS	1	0	0	0	1	0	1

MICROWAVE AMPLIFIERS AND OSCILLATORS

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS
GPSUM1 PAGE 39
AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

		DESCRIPTION	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
P1059	P3-26	DO YOU TUNE PARAMETRIC AMPLIFIERS	1	0	0	1	1	1	1
P1060	P3-27	DO YOU PERFORM OPERATIONAL CHECKS OF PARAMETRIC AMPLIFIERS	1	0	0	1	1	1	1
P1061	P3-28	DO YOU TROUBLESHOOT PARAMETRIC AMPLIFIERS	1	0	0	0	1	1	0
P1062	P3-29	DO YOU REMOVE OR REPLACE COMPLETE PARAMETRIC AMPLIFIER	1	0	0	2	1	1	1
P1063	P3-30	DO YOU REMOVE OR REPLACE PARAMETRIC AMPLIFIER COMPONENTS	1	0	0	1	1	1	1
P1064	P3-31	DO YOU INSPECT MAGNETRONS	0	0	0	1	0	0	0
P1065	P3-32	DO YOU CLEAN MAGNETRONS	0	0	0	1	1	1	0
P1066	P3-33	DO YOU ADJUST MAGNETRONS	1	0	0	1	1	1	0
P1067	P3-34	DO YOU TUNE MAGNETRONS	1	0	0	1	1	1	0
P1068	P3-35	DO YOU PERFORM OPERATIONAL CHECKS OF MAGNETRONS	1	0	0	1	1	1	0
P1069	P3-36	DO YOU TROUBLESHOOT MAGNETRONS	1	0	0	1	1	1	0
P1070	P3-37	DO YOU REMOVE OR REPLACE COMPLETE MAGNETRON	1	0	0	1	1	1	0
P1071	P3-38	DO YOU REMOVE OR REPLACE MAGNETRON COMPONENTS	0	0	0	1	1	1	0
P1072	P3-39	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS COLLECTOR PLATES	1	0	0	1	1	1	1
P1073	P3-40	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATCHER CAVITIES	0	0	0	0	1	1	0
P1074	P3-41	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATCHER GRIDS	0	0	0	1	1	1	0
P1075	P3-42	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS FEEDBACK LOOPS	0	0	0	1	1	1	0
P1076	P3-43	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS DRIFT SPACES	0	0	0	0	1	1	0
P1077	P3-44	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS BUNCHER GRIDS	0	0	0	0	1	1	0
P1078	P3-45	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS BUNCHER CAVITIES	0	0	0	0	1	1	0
P1079	P3-46	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CONTROL GRIDS	0	0	0	0	1	1	0
P1080	P3-47	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATHODES	0	0	0	0	1	1	0
P1081	P3-48	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON REPELLER (REFLECTOR) PLATES	0	0	0	0	1	1	0
P1082	P3-49	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRIDS	1	0	0	1	1	1	0
P1083	P3-50	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRID CAVITY GAPS	1	0	0	1	1	1	0
P1084	P3-51	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON RESONANT CAVITIES	1	0	0	1	1	1	0
P1085	P3-52	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON MAGNETIC COUPLING LOOPS	1	0	0	1	1	1	0
P1086	P3-53	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON FILAMENTS	1	0	0	1	1	1	0
P1087	P3-54	DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON CATHODES	1	0	0	0	0	1	0

PCT MBRS PERF TASKS- DAFSC/MAJCON GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1   PAGE   40

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
P1088 P3-55 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON OUTPUT LEADS	1	0	0	1	1	1	0
P1089 P3-56 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES FILAMENTS	1	0	0	1	1	1	0
P1090 P3-57 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES CATHODES	1	0	0	1	1	1	0
P1091 P3-58 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MODULATOR GRIDS	1	0	0	1	1	1	0
P1092 P3-59 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ANODES	1	0	0	1	1	1	0
P1093 P3-60 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES HELIXES	1	0	0	0	1	1	0
P1094 P3-61 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES COLLECTORS	1	0	0	0	1	1	0
P1095 P3-62 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MAGNETS	1	0	0	1	1	1	0
P1096 P3-63 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ATTENUATORS	1	0	0	1	1	1	0
P1097 P3-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE CIRCULATORS	1	0	0	1	1	1	0
P1098 P3-65 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL CAVITIES	1	0	0	1	1	1	0
P1099 P3-66 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER IDLER CAVITIES	0	0	0	0	1	1	0
P1100 P3-67 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER VARACTOR DIODES	1	0	0	1	1	1	0
P1101 P3-68 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE ISOLATORS	0	0	0	0	1	0	0
P1102 P3-69 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER REVERSE- BIAS BATTERIES	0	0	0	1	1	0	0
P1103 P3-70 DO YOU PERFORM TASKS ON ANODES	0	0	0	0	1	1	0
P1104 P3-71 DO YOU PERFORM TASKS ON ANODE COOLING PINS	0	0	0	0	1	1	0
P1105 P3-72 DO YOU PERFORM TASKS ON COUPLING LOOPS	0	0	0	1	1	1	0
P1106 P3-73 DO YOU PERFORM TASKS ON HEATER LEADS	0	0	0	0	1	1	0
P1107 P3-74 DO YOU PERFORM TASKS ON RESONANT CAVITIES	0	0	0	0	1	0	0
P1108 P3-75 DO YOU PERFORM TASKS ON CATHODES	0	0	0	1	1	1	0
P1109 P3-76 DO YOU PERFORM TASKS ON MAGNETS	1	0	0	1	1	1	0
Q1110 Q1-01 DO YOU USE OR REFER TO STORAGE REGISTERS	14	29	18	8	19	9	17
Q1111 Q1-02 DO YOU USE OR REFER TO SHIFT REGISTERS	14	34	18	8	20	9	18
Q1112 Q1-03 DO YOU USE OR REFER TO LOGIC SYMBOLS OF SHIFT REGISTERS	12	19	18	6	18	7	14
Q1113 Q1-04 DO YOU USE OR REFER TO LOGIC SYMBOLS OF STORAGE REGISTERS	12	17	18	6	17	7	16
Q1114 Q1-05 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	11	17	14	6	16	7	13
Q1115 Q1-06 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF REGISTERS	11	9	16	6	15	8	16

DY-TSK

Task		Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
Q1116	Q1-07	DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP OF A SHIFT REGISTER AFTER A SPECIFIED NUMBER OF SHIFT PULSES	10	19	14	5	16	7	16
Q1117	Q2-01	DO YOU WORK WITH DIGITAL COUNTERS, REGISTERS, OR STORAGE DEVICES IN YOUR PRESENT JOB	20	29	20	12	19	23	27
Q1118	Q2-02	DO YOU USE OR REFER TO DELAY LINES	5	4	5	3	8	6	7
Q1119	Q2-03	DO YOU USE OR REFER TO MAGNETIC CORES	10	9	9	7	8	15	19
Q1120	Q2-04	DO YOU USE OR REFER TO MAGNETIC DRUMS	4	1	7	5	4	6	1
Q1121	Q2-05	DO YOU USE OR REFER TO MAGNETIC TAPES	5	2	9	6	6	3	1
Q1122	Q2-06	DO YOU USE OR REFER TO ACCESS TIME OR SPEED OR MEMORY SYSTEMS	5	6	4	6	6	8	3
Q1123	Q2-07	DO YOU USE OR REFER TO WORD CAPACITY OF MEMORY SYSTEMS	5	4	7	6	6	5	6
Q1124	Q2-08	DO YOU USE OR REFER TO VOLATILITY OF MEMORY SYSTEMS	3	0	4	3	3	2	4
Q1125	Q2-09	DO YOU USE OR REFER TO LOGIC SYMBOL OF DELAY LINES	4	4	4	4	7	2	6
Q1126	Q3-01	IN YOUR PRESENT JOB, DO YOU WORK WITH DIGITAL-TO-ANALOG (D/A) CONVERTERS, ANALOG-TO-DIGITAL (A/D)	10	11	14	15	12	4	13
Q1127	Q3-02	DO YOU COMPUTE OUTPUT VOLTAGES FOR ELECTROMECHANICAL DIGITAL-TO-ANALOG (D/A) CONVERTERS FOR GIVEN INPUT	2	0	4	3	3	1	1
Q1128	Q3-03	DO YOU USE OR REFER TO THE GENERAL RULE THAT THE COUNT IN ELECTROMECHANICAL DIGITAL-TO-ANALOG (D/A)	1	0	2	1	2	1	1
Q1129	Q3-04	DO YOU COMPUTE ANALOG VOLTAGES FOR GIVEN BINARY COUNTS IN ELECTRONIC DIGITAL-TO-ANALOG (D/A) CONVERTERS	2	0	2	2	2	1	3
Q1130	Q3-05	DO YOU PERFORM SAMPLE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	2	0	4	2	3	1	1
Q1131	Q3-06	DO YOU PERFORM HOLD FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	2	0	4	2	3	1	1
Q1132	Q3-07	DO YOU PERFORM COMPARE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	2	1	4	2	3	1	1
Q1133	Q3-08	DO YOU PERFORM DIGITIZE FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS	2	0	4	2	3	1	1
Q1134	Q3-09	DO YOU PERFORM DON'T REMEMBER WHICH FUNCTION TASKS ON VARIABLE TIME ANALOG-TO-DIGITAL (A/D) CONVERTER	3	3	4	5	3	4	4
Q1135	Q3-10	DO YOU USE OR REFER TO SAMPLE FUNCTION OF A/D CONVERTERS	2	1	2	3	3	1	0
Q1136	Q3-11	DO YOU USE OR REFER TO HOLD FUNCTION OF A/D CONVERTERS	2	1	2	2	3	1	0
Q1137	Q3-12	DO YOU USE OR REFER TO COMPARE FUNCTION OF A/D CONVERTERS	2	3	2	3	2	1	0
Q1138	Q3-13	DO YOU USE OR REFER TO DIGITAL FUNCTION OF A/D CONVERTERS	3	1	5	5	3	1	0
Q1139	Q3-14	DO YOU PERFORM ANY TASKS ON MECHANICAL ANALOG-TO-DIGITAL (A/D) CONVERTERS	2	0	2	4	4	1	0

STORAGE DEVICES

DIGITAL TO ANALOG CONVERTERS

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

TASK		SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007	
R1140 R1-01	DO YOU WORK WITH PHANTASTRON CIRCUITRY IN YOUR PRESENT JOB	1	0	2	0	1	1	1	PHANTASTRONS
R1141 R2-01	IN YOUR PRESENT JOB DO YOU WORK WITH SCHMITT TRIGGER CIRCUITS	13	7	20	11	14	15	20	
R1142 R2-02	DO YOU TRACE DATA FLOW THROUGH SCHMITT TRIGGER SCHEMATIC DIAGRAMS	11	3	18	6	11	11	20	SCHMITT TRIGGERS
R1143 R2-03	DO YOU USE OR REFER TO SCHMITT TRIGGER LOGIC SYMBOLS	9	3	13	8	11	9	16	
R1144 R3-01	IN YOUR PRESENT JOB DO YOU FABRICATE MULTICONDUCTOR CABLES	66	60	61	71	70	63	70	
R1145 R3-02	DO YOU FABRICATE COAXIAL CABLES	79	76	70	82	82	77	84	CABLE FABRICATION
S1146 S1-01	IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS ON VISUAL READOUT SYSTEMS	17	16	18	16	20	16	23	
S1147 S1-02	DO YOU PERFORM ANY TASKS ON NIXIE LIGHTS OR NIXIE LIGHT DECODER SYSTEMS	6	4	5	4	11	4	9	INPUT/OUTPUT DEVICES
S1148 S1-03	DO YOU ANALYZE NIXIE LIGHT DECODER SYSTEMS USING BOOLEAN ALGEBRA	2	2	5	0	4	2	4	
S1149 S2-01	DO YOU WORK WITH PHOTO TUBES IN YOUR PRESENT JOB	2	0	4	2	2	2	4	PHOTO SENSITIVE DEVICES
S1150 S3-01	IN YOUR PRESENT JOB DO YOU WORK WITH CHOPPER CIRCUITS	28	30	20	26	29	30	39	
S1151 S3-02	DO YOU MEASURE EXCITATION FREQUENCIES	8	13	8	7	10	4	13	
S1152 S3-03	DO YOU MEASURE VOLTAGE-CURRENT PHASE RELATIONSHIPS	9	9	9	7	12	8	13	
S1153 S3-04	DO YOU USE OR REFER TO EXCITATION FREQUENCIES	9	16	7	8	11	4	11	SYNCHRONOUS VIBRATIONS (CHOPPER CIRCUITS)
S1154 S3-05	DO YOU USE OR REFER TO VOLTAGE-CURRENT PHASE RELATIONSHIPS	10	10	7	9	12	8	13	
S1155 S3-06	DO YOU USE SERVOS IN CONJUNCTION WITH CHOPPER	24	26	16	23	25	24	27	
S1156 S3-07	DO YOU USE DETECTORS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	21	21	16	24	17	20	27	
S1157 S3-08	DO YOU USE ERROR SIGNAL DEVICES IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	23	23	16	24	19	27	33	
S1158 S3-09	DO YOU USE COMPARISON CIRCUITS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	18	20	16	18	16	16	29	
T1159 Y1-01	DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH INFRARED SYSTEMS	1	0	0	0	1	2	0	
T1160 T1-02	DO YOU INSPECT INFRARED SYSTEMS	0	0	0	0	0	0	0	
T1161 T1-03	DO YOU CLEAN INFRARED SYSTEMS	0	0	0	0	0	0	0	
T1162 T1-04	DO YOU ADJUST OR CALIBRATE INFRARED SYSTEMS	0	0	0	0	0	0	0	
T1163 T1-05	DO YOU OPERATE INFRARED SYSTEMS	0	0	0	0	0	0	0	INFRARED
T1164 T1-06	DO YOU TROUBLESHOOT WIRE CONNECTIONS OF INFRARED SYSTEMS	0	0	0	0	0	1	0	
T1165 T1-07	DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF INFRARED SYSTEMS	0	0	0	0	0	0	0	
T1166 T1-08	DO YOU TROUBLESHOOT DOWN TO INFRARED SYSTEM COMPONENT PARTS	0	0	0	0	0	0	0	
T1167 T1-09	DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF INFRARED SYSTEMS	0	0	0	0	0	0	0	
T1168 T1-10	DO YOU REMOVE OR REPLACE INFRARED SYSTEM COMPONENT PARTS	0	0	0	0	0	0	0	

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS
TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

GPSUM1 PAGE 43

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

	DY-TSK	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
T1169 T1-11	DO YOU USE OR REFER TO FAR REGION	0	0	0	0	0	0	0
T1170 T1-12	DO YOU USE OR REFER TO INTERMEDIATE REGION	0	0	0	0	0	0	0
T1171 T1-13	DO YOU USE OR REFER TO NEAR REGION	0	0	0	0	0	0	0
T1172 T1-14	DO YOU USE OR REFER TO MICRON	0	0	0	0	0	0	0
T1173 T1-15	DO YOU USE OR REFER TO GRAY BODIES	0	0	0	0	0	0	0
T1174 T1-16	DO YOU USE OR REFER TO BLACK BODIES	0	0	0	0	0	0	0
T1175 T1-17	DO YOU USE OR REFER TO ABSORPTION	0	0	0	0	0	1	0
T1176 T1-18	DO YOU USE OR REFER TO SCATTERING	0	0	0	0	0	1	0
T1177 T1-19	DO YOU USE OR REFER TO ABSOLUTE ZERO	0	0	0	0	0	1	0
T1178 T1-20	DO YOU PERFORM TASKS ON BLITZ	0	0	0	0	0	0	0
T1179 T1-21	DO YOU PERFORM TASKS ON TARGET BUTTONS	0	0	0	0	0	0	0
T1180 T1-22	DO YOU PERFORM TASKS ON ERECTOR LENSES	0	0	0	0	0	0	0
T1181 T1-23	DO YOU PERFORM TASKS ON OCULAR LENSES	0	0	0	0	0	0	0
T1182 T1-24	DO YOU PERFORM TASKS ON CORRECTION LENSES	0	0	0	0	0	0	0
T1183 T1-25	DO YOU PERFORM TASKS ON FILTERS	0	0	0	0	0	0	0
T1184 T1-26	DO YOU PERFORM TASKS ON SPHERICAL MIRRORS	0	0	0	0	0	0	0
T1185 T1-27	DO YOU PERFORM TASKS ON PLANE MIRRORS	0	0	0	0	0	0	0
T1186 Y2-01	DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH LASERS	0	0	0	0	0	1	0
T1187 T2-02	DO YOU INSPECT LASER SYSTEMS	0	0	0	0	0	0	0
T1188 T2-03	DO YOU CLEAN LASER SYSTEMS	0	0	0	0	0	0	0
T1189 T2-04	DO YOU OPERATE LASER SYSTEMS	0	0	0	0	0	0	0
T1190 T2-05	DO YOU OPERATE LASER SYSTEMS	0	0	0	0	0	0	0
T1191 T2-06	DO YOU TROUBLESHOOT WIRE CONNECTIONS OF LASER SYSTEMS	0	0	0	0	0	0	0
T1192 T2-07	DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF LASER SYSTEMS	0	0	0	0	0	0	0
T1193 T2-08	DO YOU TROUBLESHOOT TO COMPONENT PARTS OF LASER SYSTEMS	0	0	0	0	0	0	0
T1194 T2-09	DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF LASER SYSTEMS	0	0	0	0	0	0	0
T1195 T2-10	DO YOU REMOVE OR REPLACE COMPONENT PARTS OF LASER SYSTEMS	0	0	0	0	0	0	0
T1194 T2-11	DO YOU USE OR REFER TO ELECTRON ENERGY LEVELS	0	0	0	0	0	0	0
T1197 T2-12	DO YOU USE OR REFER TO ANGSTROMS (A)	0	0	0	0	0	0	0
T1198 T2-13	DO YOU USE OR REFER TO GROUND STATE	0	0	0	0	0	0	0
T1199 T2-14	DO YOU USE OR REFER TO EXCITED STATE	0	0	0	0	0	0	0
T1200 T2-15	DO YOU USE OR REFER TO PACKET OF RADIATION	0	0	0	0	0	0	0
T1201 T2-16	DO YOU USE OR REFER TO PHOTONS	0	0	0	0	0	0	0
T1202 T2-17	DO YOU USE OR REFER TO SPONTANEOUS EMISSION	0	0	0	0	0	0	0
T1203 T2-18	DO YOU USE OR REFER TO STIMULATED EMISSION	0	0	0	0	0	0	0
T1204 T2-19	DO YOU USE OR REFER TO COHERENCE OR INCOHERENCE	0	0	0	0	0	0	0
T1205 T2-20	DO YOU USE OR REFER TO INVERSION LEVEL	0	0	0	0	0	0	0
T1206 T2-21	DO YOU USE OR REFER TO MONOCHROMATIC	0	0	0	0	0	0	0
T1207 T2-22	DO YOU WORK WITH ACTIVE MATERIALS	0	0	0	0	0	0	0
T1208 T2-23	DO YOU WORK WITH PUMPING SOURCES	0	0	0	0	0	0	0
T1209 T2-24	DO YOU WORK WITH FULL SILVERED (100% REFLECTIVE) MIRRORS	0	0	0	0	0	0	0

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

DY-TSK

Task	Description	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
T1210 T2-25	DO YOU WORK WITH HALF SILVERED (92% REFLECTIVE) MIRRORS	0	0	0	0	0	0	0
T1211 T2-26	DO YOU WORK WITH HELICAL FLASHTUBES	0	0	0	0	0	0	0
T1212 T2-27	DO YOU WORK WITH RUBY	0	0	0	0	0	0	0
T1213 T2-28	DO YOU WORK WITH HELIUM-NEON	0	0	0	0	0	0	0
T1214 T2-29	DO YOU WORK WITH HELIUM-XENON	0	0	0	0	0	0	0
T1215 T2-30	DO YOU WORK WITH XENON	0	0	0	0	0	0	0
T1216 T2-31	DO YOU WORK WITH CESIUM-HELIUM	0	0	2	0	0	0	0
T1217 T2-32	DO YOU WORK WITH ARGON	0	0	0	0	0	0	0
T1218 T2-33	DO YOU WORK WITH NEODYMIUM IN GLASS	0	0	0	0	0	0	0
T1219 T2-34	DO YOU WORK WITH GALLIUM ARSENIDE	0	0	0	0	0	0	0
T1220 T3-01	IN YOUR PRESENT JOB DO YOU WORK WITH DISPLAY TUBES, SUCH AS DIRECT VIEW STORAGE (DVST) OR MULTIPLE MODE	0	0	0	0	2	0	3
T1221 T3-02	DO YOU INSPECT DVST OR MMST	1	0	2	0	1	1	1
T1222 T3-03	DO YOU CLEAN DVST OR MMST	1	0	2	0	1	1	1
T1223 T3-04	DO YOU ADJUST OR CALIBRATE DVST OR MMST	0	0	2	0	2	0	1
T1224 T3-05	DO YOU OPERATE SYSTEMS THAT CONTAIN DVST OR MMST	1	1	0	1	0	1	1
T1225 T3-06	DO YOU TROUBLESHOOT DVST OR MMST CIRCUITS	1	0	0	0	1	1	1
T1226 T3-07	DO YOU REMOVE OR REPLACE DVST OR MMST TUBES FROM MAJOR ASSEMBLIES OR UNITS	0	0	0	0	1	0	1
T1227 T3-08	DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME THE VARIOUS ELEMENTS OF DVST	0	0	0	0	0	0	0
T1228 T3-09	DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME THE VARIOUS ELEMENTS OF MMST	0	0	0	0	1	0	0
T1229 T3-10	DO YOU PERFORM TASKS ON FLOOD GUNS	0	0	0	0	0	0	0
T1230 T3-11	DO YOU PERFORM TASKS ON WRITE GUNS	0	0	0	0	0	0	0
T1231 T3-12	DO YOU PERFORM TASKS ON ATTACK GUNS	0	0	0	0	0	0	0
T1232 T3-13	DO YOU PERFORM TASKS ON ERASE GUNS	0	0	0	0	0	0	0
T1233 T3-14	DO YOU PERFORM TASKS ON STORAGE GRIDS	0	0	0	0	0	0	0
U1234 U1-01	IN YOUR PRESENT JOB, DO YOU PERFORM ANY PROGRAMMING TASKS	7	6	4	1	11	20	
U1235 U1-02	DO YOU USE OR REFER TO DECIMAL SYSTEMS	4	4	4	0	4	6	14
U1236 U1-03	DO YOU USE OR REFER TO PROGRAMS	2	4	0	0	3	3	4
U1237 U1-04	DO YOU USE OR REFER TO HEXIDECIMAL SYSTEMS	0	6	2	0	1	5	13
U1238 U1-05	DO YOU USE OR REFER TO 8-4-2-1 SYSTEMS	3	0	4	0	0	0	0
U1239 U1-06	DO YOU USE OR REFER TO FOUR SYSTEMS	5	6	0	1	5	7	16
U1240 U1-07	DO YOU USE OR REFER TO BINARY SYSTEMS	5	0	2	0	0	0	
U1241 U1-08	DO YOU USE OR REFER TO TIME-SHARING	2	3	0	0	1	0	1
U1242 U1-09	DO YOU USE OR REFER TO DATA WORDS	2	4	4	0	2	2	1
U1243 U1-10	DO YOU USE OR REFER TO ADDRESS WORDS	2	4	0	0	3	2	3
U1244 U1-11	DO YOU USE OR REFER TO ADDRESS/SUBADDRESS	1	1	0	1	3	0	1
U1245 U1-12	DO YOU USE OR REFER TO STEERING/INFORMATION	2	4	2	0	2	2	1
U1246 U1-13	DO YOU USE OR REFER TO INFORMATION WORDS	1	1	0	0	3	2	3
U1247 U1-14	DO YOU PERFORM TASKS ON SINGLE LEVEL PROGRAMMING	2	4	0	0	0	4	4
U1248 U1-15	DO YOU PERFORM TASKS ON MULTI-LEVEL PROGRAMMING	1	1	0	0	0	0	3

DISPLAY TUBES

PROGRAMMING

PCT MBRS PERF TASKS- DAFSC/MAJCOM GRPS

TASK GROUP SUMMARY
PERCENT MEMBERS PERFORMING

AF HUMAN RESOURCES LABORATORY
AIR FORCE SYSTEMS COMMAND

DY-TSK

	SPC 001	SPC 002	SPC 003	SPC 004	SPC 005	SPC 006	SPC 007
U1249 U1-16 DO YOU PERFORM TASKS ON INPUT DEVICES	2	3	4	0	3	2	4
U1250 U1-17 DO YOU PERFORM TASKS ON STORAGE DEVICES	3	3	4	0	3	4	7
U1251 U1-18 DO YOU PERFORM TASKS ON ARITHMETIC SECTIONS	1	1	4	0	2	1	3
U1252 U1-19 DO YOU PERFORM TASKS ON CONTROL SECTIONS	1	0	4	0	2	2	3
U1253 U1-20 DO YOU PERFORM TASKS ON OUTPUT DEVICES	1	1	4	0	2	1	3
U1254 U1-21 DO YOU PERFORM TASKS ON POWER SUPPLIES	2	1	0	0	2	2	3
U1255 U2-01 DO YOU USE DECIBELS TO EXPRESS AMPLIFICATION AND ATTENUATION	72	73	79	67	73	70	81
U1256 U2-02 DO YOU USE LOGARITHMS TO COMPUTE OUTPUT POWER IN DECIBELS	8	6	16	6	11	8	11
U1257 U2-03 DO YOU USE LOGARITHMS TO COMPUTE ATTENUATION IN DECIBELS	8	6	20	6	10	8	11
U1258 U2-04 DUMMY TASK TO IDENTIFY INCUMBENTS WHO PERFORMED NO TASKS	1	0	0	1	0	2	0

DB AND POWER RATIOS

AD-A044 123   AIR FORCE OCCUPATIONAL MEASUREMENT CENTER   LACKLAND A--ETC   F/G 5/9
ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT, AVIONIC COMMU--ETC(U)
JUN 77   T J O'CONNOR, L J TAUSCHER

UNCLASSIFIED   NL

2 OF 2
ADA
044123

SUPPLEMENTARY

INFORMATION

END
DATE
FILMED
! -79
DDC

SUPPLEMENTARY

INFORMATION

Corrected

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFPT 90-328-222	2. GOVT ACCESSION NO. AD A044 123/85L	3. RECIPIENT'S CATALOG NUMBER
4. TITLE *(and Subtitle)* Electronic Principles Occupational Survey Report Avionic Communications Career Ladder AFSC 328X0		5. TYPE OF REPORT & PERIOD COVERED FINAL Dec 76 - Mar 77
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Thomas J. O'Connor Leon J. Tauscher		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Occupational Survey Branch USAF Occupational Measurement Center Lackland AFB TX 78236		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS N/A
11. CONTROLLING OFFICE NAME AND ADDRESS SAME AS ITEM 9		12. REPORT DATE 15 June 1977
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS*(if different from Controlling Office)*		15. SECURITY CLASS. *(of this report)* UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT *(of this Report)*

Approved for public release; distribution unlimited

17. DISTRIBUTION STATEMENT *(of the abstract entered in Block 20, if different from Report)*

18. SUPPLEMENTARY NOTES

19. KEY WORDS *(Continue on reverse side if necessary and identify by block number)*

Electronic principles	Electronics
Basic electronics	Air Force training
Avionics	Teaching methods
Electronic equipment	Training
Electronic technicians	

20. ABSTRACT *(Continue on reverse side if necessary and identify by block number)*

This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned to Avionic Communications Specialty (AFSC 328X0). The report gives a detailed listing of the technical tasks and knowledge needed to perform the jobs within the specialty or career ladder.

over   CONTINUED

DD ₁ FORM 73 1473   EDITION OF 1 NOV 65 IS OBSOLETE   UNCLASSIFIED

This specialty has the following functions:

Installs, maintains, modifies, troubleshoots, and repairs avionic communications equipment and test equipment. Performs preventive maintenance on avionic communications equipment. Installs avionic communications equipment. Repairs avionic communications equipment. Maintains inspection and maintenance records.